

29 July 2025

Aurum reports high-grade gold results from BD and BST deposits at Boundiali

Aurum Resources (ASX: AUE) reports further gold intercepts from diamond drilling at its 1.59Moz Boundiali Gold Project in Côte d'Ivoire as it continues towards completing 100,000m drilling program at Boundiali in CY2025.

Highlights

- Assay results from exploration diamond drilling at the **BD** tenement (57 holes for 13,836.80m) and **BST** tenement (14 holes for 2,499.65m) have returned encouraging gold intercepts¹ including:
 - **BDT1**
 - DSDD0203
 - 6m @ 30.68 g/t Au from 410.00m inc. 4m @ 45.91 g/t Au (inc. 1m @ 181.20 g/t Au)
 - DSDD0192
 - 2.34m @ 67.21 g/t Au from 189.00m inc. 1.34m @ 117.15 g/t Au
 - **BDT2**
 - DSDD0240
 - 5m @ 2.46 g/t Au from 148.00m inc. 1m @ 8.88 g/t Au
 - 6m @ 2.53 g/t Au from 214.00m inc. 1m @ 14.16 g/t Au
 - 2m @ 22.86 g/t Au from 297.00m
 - DSDD0218
 - 2m @ 16.67 g/t Au from 29.50m
 - **BDT3**
 - DSDD0226
 - 1.50m @ 32.51 g/t Au from 155.50m inc. 0.99m @ 48.83 g/t Au
 - DSDD0189
 - 26m @ 0.90 g/t Au from 249.00m inc. 6m @ 2.00 g/t Au
 - **BST1**
 - BSDD0004
 - 11m @ 3.31 g/t Au from 112m inc. 3m @ 8.66 g/t Au
 - 10m @ 0.66 g/t Au from 133 m inc. 1.95m @ 1.83 g/t Au
 - BSDD0001
 - 3m @ 4.34 g/t Au from 213m inc. 1m @ 12.23 g/t Au
 - 8m @ 2.81 g/t Au from 224m inc. 1m @ 15.97 g/t Au
- These results demonstrate the **emerging potential** and **continued upside** of the Boundiali project, with gold mineralisation **remaining open** along strike and at depth.
- Eight of Aurum's self-owned diamond rigs **continue to drill** at Boundiali with **100,000m** targeted in CY2025.
- **Two MRE updates** planned in **CY2025** to grow the maiden **1.59Moz Boundiali Mineral Resource Estimate**².
- Aurum has commenced a **Boundiali Pre-Feasibility Study**, due for completion by **end of CY2025**.
- 30,000m drill program underway at **Napié Gold Project**, aiming to grow its existing **0.87Moz MRE**³.
- **Aurum is well-funded with \$46.9M cash and value of Montage shares (unaudited)**⁴ for continued exploration success.

¹ Refer to Table 1 and Table 3 for collar information and Table 2 and Table 4 for assay results for the new drilling

² "Aurum delivers 1.6Moz Maiden JORC Resource at Boundiali Gold Project" released to the Australian Securities Exchange on 30 December 2024 and amended on 31 December 2024 and available to view on www.asx.com.au

³ "Napie Project Listing Rule 5.6 Disclosure (Amended)" released to the Australian Securities Exchange on 4 February 2025 and available to view on www.asx.com.au.

⁴ ASX release dated 23/07/2025 June Quarterly Report

Aurum's Managing Director Dr. Caigen Wang said: *"It is my pleasure to announce further high-grade gold intercepts at the Boundiali project. This time at BDT1 where our drills hit **6m @ 30.68 g/t Au** from 410m inc. **4m @ 45.91 g/t Au** inc. **1m @ 181.20 g/t Au**. This great result confirms extensions to north plunging high-grade shoots at BDT1 and these remain open.*

*Aurum is on track to complete 100,000m of diamond drilling at Boundiali in 2025. These new drill results from multiple deposits will be incorporated into our first MRE update, which we plan to release imminently, and build upon the current **1.59Moz** Boundiali MRE. A second update, planned for late in CY25, will incorporate results from planned drilling at the **BD, BM, and BST** deposits, as well as numerous untested gold-in-soil anomalies.*

Aurum's use of its own drill rigs, with our fleet of 10 rigs, provides for cost-effective and accelerated exploration, underpinning our objective of significant resource growth at Boundiali in 2025 and beyond, ultimately contributing to a Pre-Feasibility Study expected by year-end.

*A 30,000m diamond drilling program is underway at the Napié project, targeting expansion of the current **0.87Moz MRE**, with an updated MRE anticipated by year-end.*

*With a combined **2.5Moz of gold** across Boundiali and Napié, and substantial drilling programs now in play for both projects, Aurum is well-positioned for significant resource growth and further value creation in 2025."*

BD - Latest Drill Results

Aurum is reporting new assay results from diamond drilling (57 holes for 13,836.80m). These results are from the **BDT1** deposit (20 holes for 5,773.00m), the **BDT2** deposit (19 holes for 4,200.00m), and the **BDT3** prospect (18 holes for 3,863.60m) on Boundiali's **BD** tenement, where Aurum holds an 80% project interest⁵. Best assay results from the new drilling includes⁶:

BD Target 1 (BDT1)

- **2.34m @ 67.21 g/t Au** from 189.00m inc. **1.34m @ 117.15 g/t Au** (DSDD0192)
- **53.45m @ 0.96 g/t Au** from 501.00m inc. **3.00m @ 6.94 g/t Au** (DSDD0193)
- **19.76m @ 0.88 g/t Au** from 554.00m inc. **3.76m @ 2.87 g/t Au** (DSDD0207)
- **6.00m @ 30.68 g/t Au** from 410.00m inc. **4.00m @ 45.91 g/t Au** (inc. **1m @ 181.20 g/t Au**) (DSDD0203)
- **7.00m @ 2.54 g/t Au** from 82.00m inc. **5.00m @ 3.12 g/t Au** (DSDD0201)
- **2.00m @ 0.51 g/t Au** from 299.00m (DSDD0196)
- **22.00m @ 0.54 g/t Au** from 412.00m inc. **3.00m @ 1.80 g/t Au** (DSDD0198)
- **6.00m @ 0.54 g/t Au** from 82.00m inc. **1.00m @ 1.50 g/t Au** (DSDD0187)
- **15.00m @ 0.79 g/t Au** from 309.00m inc. **2.00m @ 2.38 g/t Au** (DSDD0211)
- **2.00m @ 0.55 g/t Au** from 217.00m (DSDD0224)
- **4.00m @ 0.41 g/t Au** from 129.00m (DSDD0230)
- **4.00m @ 0.61 g/t Au** from 5.00m (DSDD0241)
- **2.00m @ 7.87 g/t Au** from 125.00m (DSDD0242)
- **1.00m @ 0.52 g/t Au** from 67.00m (DSDD0245)
- **10.00m @ 0.33 g/t Au** from 16.00m (DSDD0247).

⁵ Refer to About Aurum's Boundiali Gold Project

⁶ Refer to Table 1 for collar information and Table 3 for full assay results for the new drilling

BD Target 2 (BDT2)

- 16.00m @ 1.79 g/t Au from 347.00m inc. 4.00m @ 6.36 g/t Au (DSDD0235)
- 18.15m @ 0.80 g/t Au from 190.85m inc. 4.00m @ 2.53 g/t Au (DSDD0243)
- 2.00m @ 22.86 g/t Au from 297.00m (DSDD0240)
- 1.50m @ 1.19 g/t Au from 4.50m (DSDD0216)
- 2.00m @ 16.67 g/t Au from 29.50m (DSDD0218)
- 1.00m @ 0.87 g/t Au from 109.00m (DSDD0220)
- 3.82m @ 0.72 g/t Au from 24.00m inc. 1.00m @ 1.99 g/t Au (DSDD0222)
- 7.00m @ 1.69 g/t Au from 8.00m inc. 4.00m @ 2.55 g/t Au (DSDD0223)
- 1.21m @ 1.72 g/t Au from 38.33m (DSDD0225)
- 1.00m @ 7.88 g/t Au from 107.00m (DSDD0227)
- 3.00m @ 1.83 g/t Au from 55.00m inc. 0.90m @ 5.00 g/t Au (DSDD0228)
- 9.60m @ 0.58 g/t Au from 122.00m inc. 1.45m @ 1.63 g/t Au (DSDD0231)
- 4.00m @ 1.31 g/t Au from 37.00m inc. 1.00m @ 3.91 g/t Au (DSDD0234)
- 4.00m @ 1.09 g/t Au from 163.00m (DSDD0236)
- 26.91m @ 0.47 g/t Au from 51.31m inc. 1.00m @ 3.28 g/t Au (DSDD0237)
- 2.00m @ 1.14 g/t Au from 147.00m inc. 1.00m @ 2.07 g/t Au (DSDD0246)
- 2.00m @ 0.83 g/t Au from 167.00m inc. 1.00m @ 1.02 g/t Au (DSDD0248)
- 1.00m @ 0.82 g/t Au from 86.00m (DSDD0249).

BD Target 3 (BDT3)

- 26.00m @ 0.90 g/t Au from 249.00m inc. 6.00m @ 2.00 g/t Au (DSDD0189)
- 1.50m @ 32.51 g/t Au from 155.50m inc. 0.99m @ 48.83 g/t Au (DSDD0226)
- 18.59m @ 0.90 g/t Au from 27.00m inc. 7.00m @ 1.44 g/t Au (DSDD0208)
- 1.00m @ 1.58 g/t Au from 86.00m (DSDD0191)
- 1.29m @ 0.39 g/t Au from 32.21m (DSDD0194)
- 1.00m @ 12.27 g/t Au from 140.00m (DSDD0195)
- 6.00m @ 0.32 g/t Au from 318.00m (DSDD0199)
- 5.00m @ 1.90 g/t Au from 140.00m inc. 3.00m @ 2.74 g/t Au (DSDD0202)
- 1.00m @ 0.62 g/t Au from 34.00m (DSDD0204)
- 1.24m @ 0.44 g/t Au from 9.76m (DSDD0205)
- 1.00m @ 9.39 g/t Au from 85.00m (DSDD0210)
- 1.00m @ 7.87 g/t Au from 100.00m (DSDD0217)
- 3.00m @ 1.02 g/t Au from 160.00m inc. 1.24m @ 1.82 g/t Au (DSDD0219)
- 7.00m @ 0.35 g/t Au from 120.00m inc. 1.00m @ 1.60 g/t Au (DSDD0229)
- 25.00m @ 0.35 g/t Au from 140.00m inc. 2.00m @ 1.07 g/t Au (DSDD0233).

These new results are in addition to diamond holes drilled and reported⁷ by Aurum at BD, which include:

- 83m @ 4.87 g/t Au from 106m inc. 6.29m @ 34.94 g/t Au & 8m @ 14.81 g/t Au (DSDD0148)

⁷ Refer to Compliance Statement for details on previous reporting on ASX

- **12m @ 22.02 g/t Au** from 145m inc. **2m @ 35.59 g/t Au** & **7m @ 27.50 g/t Au** (DSDD0136 – BDT3 outside MRE)
- **89m @ 2.42 g/t Au** from 213m inc. **7m @ 14.46 g/t Au** & **6m @ 9.01 g/t Au** (DSDD0150)
- **73m @ 2.15g/t Au** from 172m inc. **4m @ 18.63g/t Au** (DSDD0012)
- **22.71m @ 4.78 g/t Au** from 177.59m inc. **5.41m @ 12.66 g/t Au** & **10m @ 3.60 g/t Au** (DSDD0162 – BDT3 outside MRE)
- **90m @ 1.16 g/t Au** from 143m inc. **51m @ 1.04 g/t Au** and **35m @ 1.47 g/t Au** (DSDD0050)
- **59m @ 1.42 g/t Au** from 68m inc. **13m @ 3.92 g/t Au** (DSDD0010)
- **36m @ 2.53 g/t Au** from 104m inc. **16m @ 5.03 g/t Au** (DSDD0011)
- **4m @ 22.35 g/t Au** from 226m (173m below surface) (DSDD0004)
- **12.22m @ 14.56 g/t Au** from 275m inc. **1m @ 163.42 g/t Au** (DSDD0051)
- **34m @ 2.32 g/t Au** from 56m inc. **9m @ 5.44 g/t Au** (DSDD0157)
- **69m @ 1.05 g/t Au** from 195m inc. **12m @ 2.28 g/t Au** (DSDD0060A)
- **40m @ 1.03 g/t Au** from 136m inc. **5m @ 1.70 g/t Au** (DSDD0076).

The **BDT1**, **BDT2** gold deposits, and **BDT3** gold prospect lie within an underexplored **13km by 3km mineralised corridor**. Gold mineralisation is hosted in a thick, north-south trending sandstone unit, positioned between hanging wall and footwall volcano-sedimentary rocks. The gold which is free milling⁸ is associated with fine disseminated pyrite and an alteration assemblage of hematite, silica, chlorite, tourmaline, quartz veinlets, albite, and carbonate.

Drilling is ongoing at **BDT1**, **BDT2** and **BDT3** with more assays pending. True widths for these shallow, wide gold intercepts are estimated at about 65% - 80% of reported downhole lengths.

Details of drill collar location and assay results for the new drilling at **BDT1**, **BDT2** and **BDT3** is provided in Table 1 and respectively. Plans showing location of the Boundiali Gold Project and the assay results are presented in the following figures, general locations in Figure 1 and Figure 2, project details in Figure 3, and plans showing assay results in Figure 4 (**BDT1**), Figure 6 (**BDT2**), Figure 8 (**BDT3**), and example cross sections in Figure 5 (**BDT1**), Figure 7 (**BDT2**), and Figure 9 (**BDT3**).

Gold mineralisation remains open along strike and at depth on all deposits and prospects at the Boundiali Gold Project. With Aurum's 100,000m drilling program ongoing in CY 2025, further work is planned to follow up these encouraging results.

⁸ ASX release dated 23 Dec 2024, AUE achieves in excess of 95% gold recoveries from Boundiali

BST - Latest Drill Results

Aurum is reporting new assay results from step out diamond drilling (14 holes for 2,499.65m) at the **BST1** deposit on Boundiali's **BST** tenement, where Aurum holds a 100% project interest⁹. Best assay results from the new drilling includes¹⁰:

BST Target 1 (BST1)

- **8.00m @ 2.81 g/t Au** from 224.00m inc. **1.00m @ 15.97 g/t Au** (BSDD0001)
- **11.00m @ 3.31 g/t Au** from 112.00m inc. **3.00m @ 8.66 g/t Au** (BSDD0004)
- **4.00m @ 3.17 g/t Au** from 219.00m (BSDD0010)
- **9.00m @ 1.04 g/t Au** from 137.00m inc. **1.00m @ 6.40 g/t Au** (BSDD0013)
- **3.00m @ 2.04 g/t Au** from 101.00m inc. **1.00m @ 5.07 g/t Au** (BSDD0014)
- **1.00m @ 0.46 g/t Au** from 0.00m (BSDD0002)
- **18.25m @ 0.40 g/t Au** from 91.00m inc. **2.25m @ 1.38 g/t Au** (BSDD0003)
- **1.19m @ 0.81 g/t Au** from 119.00m (BSDD0005)
- **1.00m @ 0.33 g/t Au** from 62.00m (BSDD0006)
- **1.00m @ 4.82 g/t Au** from 222.00m (BSDD0007)
- **1.00m @ 2.56 g/t Au** from 121.00m (BSDD0009)
- **1.50m @ 3.27 g/t Au** from 0m (BSDD0011)
- **6.00m @ 0.70 g/t Au** from 174.00m inc. **1.00m @ 2.53 g/t Au** (BSDD0012)

These new results are in addition to previous exploration drilling at **BST1** has returned impressive results¹¹:

- **20m @ 10.45g/t Au** from 38m (BRC0004S BIS)
- **30m @ 8.30g/t Au** from 39m (NDC007)
- **28m @ 4.04g/t Au** from 3m and **6m @ 3.29g/t Au** from 47m (BRC003)
- **9m @ 7.90g/t Au** from 99m (BRC006)
- **27m @ 2.42g/t Au** from 27m (BRC175)
- **20m @ 1.29g/t Au** from 211m (NDC016)
- **2m @ 13.57g/t Au** from 130m (NDC017).

The **BST1** gold deposit, located 19km to the south of **BDT1** on the Nyangboue shear zone, is hosted in a sedimentary package comprising alternating sandstones and shales with minor intraformational conglomerates. Broad zones of lower grade disseminated mineralisation envelope higher grade zones which are in some instances associated with quartz veining with visible gold. Gold mineralisation encountered occurs as discrete higher-grade zones within a broad low-grade envelope within a folded sedimentary package. Extensive sulphide and carbonate alteration occurs with higher grade zones being associated with structurally controlled zones of quartz veining. Oxidation extends to approximately 50m vertical depth and being a sedimentary protolith is soft and friable.

⁹ Refer to About Aurum's Boundiali Gold Project

¹⁰ Refer to Table 3 for collar information and Table 4 for full assay results for the new drilling

¹¹ Predictive Discovery ASX announcements dated 23 June 2016, 25 July 2016, 8 August 2016, 17 May 2017, 29 May 2017, 27 May 2019 and Turaco Gold's ASX Announcements dated 12 November 2021, 17 June 2022

Diamond drilling is ongoing at **BST1** with more assays pending. True widths for these shallow, wide gold intercepts are estimated at about 65% - 80% of reported downhole lengths. Details of drill collar location and assay results for the new drilling at **BST1** is provided in **Table 3** and **Table 4** respectively. A plan showing the location of the new assay results can be found in Figure 10 and an example cross section is in Figure 11.

Gold mineralisation remains open along strike and at depth on all deposit and prospects at Boundiali Gold Project. With Aurum's 100,000m drilling program ongoing in CY 2025, further work is planned to follow up these encouraging results.

Next Steps:

- **Aggressive cost-effective exploration at Boundiali:** Aurum is committed to a large-scale exploration program at Boundiali. This includes:
 - **100,000m diamond drilling¹²:** Up to eight diamond drill rigs will complete 100,000m of drilling at Boundiali in CY2025. The program aims to:
 - Increase the size and confidence of current resources at BST, BD, and BM (40,000m),
 - Advance known prospects (30,000m) for incorporation into two planned MRE updates in 2025.
 - Target new prospects identified through soil anomalies and geological mapping to drive resource growth into 2026 (30,000m).
 - **Resource expansion:** Drilling aims to expand the known resources at the **BD, BM, and BST** deposits.
 - **New discoveries:** Exploration and scout drilling is planned on **BD, BM, and BST** tenements to test new targets and create a pipeline of new discoveries to flow into resource growth.
 - **Resource updates:** Aurum plans to deliver **two MRE updates** for Boundiali in **CY2025**.
- **Boundiali Pre-Feasibility Study:** Aurum is working towards completing an open pit PFS for the Boundiali Gold Project by the end of CY2025. This will provide an evaluation of the project's economics and technical feasibility.
- **Napié exploration drilling:** A 30,000m diamond drilling program (CY2025) is underway at the Napié Gold designed to expand the existing 0.87Moz resource with an updated MRE for Napié expected by year-end.
- **Continued growth:** With a strong financial position backed by a recent \$35.6M private placement, Aurum is well-funded to execute these exploration and development plans. The company remains focused on delivering value for shareholders through resource growth and project advancement.

This update has been authorised by the Board of Aurum Resources Limited.

ENDS

¹² This program is indicative only and subject to change based on operational requirements and exploration results. Meterage allocations may be adjusted as new information becomes available. Investors should refer to company announcements for updates on the drilling program and be aware of the inherent risks associated with mineral exploration.



FORWARD-LOOKING STATEMENTS

This ASX release contains forward-looking statements about Aurum Resources Limited's exploration activities, drilling programs, and potential Mineral Resource Estimate at the Boundiali and Napié Gold Projects. These statements are based on current expectations and are subject to risks and uncertainties inherent in mineral exploration and mining. Factors that could cause actual results to differ materially include exploration risks, drilling results, resource estimation, gold prices, operational risks, regulatory changes, and broader economic conditions. Investors should not place undue reliance on these forward-looking statements.

COMPETENT PERSON'S STATEMENT

The information in this release that relates to Exploration Targets and Exploration Results is based on information compiled by Mr Mark Strizek, a Competent Person who is a Member of The Australasian Institute of Mining and Metallurgy. Mr Strizek has been a non-executive Director of the Company since 1 February 2024 and joined as an executive Director on 1 June 2024. Mr Strizek has sufficient experience that is relevant to the style of mineralisation and type of deposit under consideration and to the activity being undertaking to qualify as a Competent Person as defined in the 2012 edition of the "Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves". Mr Strizek consents to the inclusion in the announcement of the matters based on his information in the form and context in which it appears. Additionally, Mr Strizek confirms that the entity is not aware of any new information or data that materially affects the information contained in the ASX releases referred to in this presentation.

COMPLIANCE STATEMENT

The information in this report that relates to Boundiali Mineral Resources is extracted from the announcement "Aurum delivers 1.6Moz Maiden JORC Resource at Boundiali Gold Project" released to the Australian Securities Exchange on 30 December 2024 and amended on 31 December 2024 and available to view on www.asx.com.au. The Company confirms that it is not aware of any new information or data that materially affects the information included in the original market announcement and, in the case of estimates of Mineral Resources, that all material assumptions and technical parameters underpinning the estimates in the relevant market announcement continue to apply and have not materially changed. The Company confirms that the form and context in which the Competent Person's findings are presented have not been materially modified from the original market announcement.

The information in this report that relates to Napié Mineral Resources is extracted from the announcement "Napié Project Listing Rule 5.6 disclosure" released to the Australian Securities Exchange on 4 February 2025 and available to view on www.asx.com.au. The Company confirms that it is not aware of any new information or data that materially affects the information included in the original market announcement and, in the case of estimates of Mineral Resources, that all material assumptions and technical parameters underpinning the estimates in the relevant market announcement continue to apply and have not materially changed. The Company confirms that the form and context in which the Competent Person's findings are presented have not been materially modified from the original market announcement.

This report contains information extracted from ASX market announcements reported in accordance with the 2012 edition of the "Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves" ("2012 JORC Code") and available for viewing at www.asx.com.au and includes results reported previously and published on ASX platform:

25 Jul 2025, Aurum hits 1.43m at 234.35 g/t gold from 107m at BMT3 (ASX:AUE)
23 Jul 2025, Quarterly Activities/Appendix 5B Cash Flow Report (ASX:AUE)
15 Jul 2025, 100 million share placement to strategic investors completed (ASX:AUE)
27 Jun 2025, Aurum commenced 30,000m diamond drilling at Napié (ASX:AUE)
17 Jun 2025, AUE hits 66m @ 1.07g/t gold from 33m @ Boundiali BD tenement (ASX:AUE)
27 May 25, AUE expands Boundiali Gold Project exploration ground (ASX:AUE)
21 May 25, AUE hits 34m @ 2.32g/t gold from 56m @ Boundiali BD tenement (ASX:AUE)
13 May 25, Assay Results at Boundiali BM Tenement (Amended) (ASX:AUE)
13 May 25, Aurum hits 73.10 g/t gold at Boundiali BM tenement (ASX:AUE)
07 May 2025, Aurum to raise \$35.6 million from strategic investment (ASX:AUE)
16 Apr 2025, AUE hits 89m @ 2.42 g/t gold at 1.59Moz Boundiali Project (ASX:AUE)
08 Apr 2025, AUE to start diamond drilling at Boundiali South tenement (ASX:AUE)
31 Mar 2025, AUE to commence environmental study - Boundiali Gold Project (ASX:AUE)
27 Mar 2025, Aurum hits 83m@4.87 g/t Au at 1.59Moz Boundiali Project (ASX:AUE)
19 Mar 2025, Hits 4m at 54.64 g/t Au outside 1.59Moz Boundiali MRE area (ASX:AUE)
14 Mar 2025, Half Yearly Report and Accounts (ASX:AUE)
7 Mar 25, Investor Presentation March 2025 (ASX:AUE)
6 Mar 25, AUE Completes Acquisition of Mako Gold Limited (ASX:AUE)
27 Feb 25, 12m at 22.02g/t from 145m outside 1.59Moz Boundiali MRE area (ASX:AUE)
21 Feb 2025, 8m at 8.23g/t from 65m outside 1.59Moz Boundiali MRE area (ASX:AUE)
4 Feb 2025, Napié Project Listing Rule 5.6 Disclosure (Amended) (ASX:AUE)
3 Feb 2025, Mako Takeover Offer Closes (ASX:AUE)
31 Jan 2025, Drill Collar Table Addendum (ASX:AUE)
31 Jan 2025, Change in substantial holding for MKG (ASX:AUE)
31 Jan 2025, Quarterly Activities/Appendix 5B Cash Flow Report (ASX:AUE)
30 Jan 2025, Aurum hits 150 g/t gold at Boundiali, Cote d'Ivoire (ASX:AUE)
29 Jan 2025, MKG - Suspension of Trading and Delisting From ASX (ASX:AUE)
24 Jan 2025, Compulsory Acquisition Notice Mako Takeover (ASX:AUE)
24 Jan 2025, Non-Binding MoU with SANY Heavy Equipment Co (ASX:AUE)
23 Jan 2025, Change in substantial holding for MKG (ASX:AUE)
9 Jan 2025, Best and Final offer for Mako Gold Limited (ASX:AUE)
31 Dec 2024, Boundiali Project Maiden Resource delivers 1.6 Moz (amended) (ASX:AUE)
30 Dec 2024, Boundiali Gold Project Maiden Resource delivers 1.6 Moz (ASX:AUE)
24 Dec 2024, Change in substantial holding for MKG (ASX:AUE)



23 Dec 2024, AUE achieves in excess of 95% gold recoveries from Boundiali (ASX:AUE)
 18 Dec 2024, Aurum hits 277 g/t gold at Boundiali BM Target 3
 13 Dec 2024, Change of Directors and Addition of Joint Company Secretary (ASX:AUE & ASX:MKG)
 6 Dec 2024, AUE receives firm commitments for A\$10 million placement (ASX:AUE)
 29 Nov 2024, Aurum earns 80% interest in Boundiali BM tenement (ASX:AUE)
 28 Nov 2024, AUE appoints Mr. Steve Zaninovich as Non-Executive Director (ASX:AUE)
 22 Nov 2024, AUE Declares Takeover Offer for all MKG Shares Unconditional (ASX:AUE)
 15 Nov 2024, Supplementary Bidders Statement (ASX:AUE)
 11 Nov 2024, Aurum hits 36 g/t gold at BM T1 of 2.5km strike (ASX:AUE)
 30 Oct 2024, Bidders Statement (ASX:AUE)
 16 Oct 2024, Recommended Takeover of Mako Gold By Aurum Resources (ASX:AUE)
 09 Sep 2024, Aurum earns 51% interest in Boundiali BM tenement (ASX:AUE)
 05 Sep 2024, AUE hits 40m at 1.03 g/t gold at Boundiali BD Target 1 (ASX:AUE)
 03 Sep 2024, Boundiali South Exploration Licence Renewed (ASX:AUE)
 07 Aug 2024, Aurum to advance met studies for Boundiali Gold Project (ASX:AUE)
 22 July 2024, Prelim metallurgical tests deliver up to 99% gold recovery (ASX:AUE)
 17 June 2024, Aurum hits 69m at 1.05 g/t gold at Boundiali BD Target 1 (ASX:AUE)
 28 May 2024, AUE hits 163 g/t gold in 12m @ 14.56 g/t gold at BD Target 1 (ASX:AUE)
 24 May 2024, Aurum hits 74m @ 1.0 g/t gold at Boundiali BD Target 2 (ASX:AUE)
 15 May 2024, Aurum expands Boundiali Gold Project footprint (ASX:AUE)
 10 May 2024, AUE hits 90m @ 1.16 g/t gold at Boundiali BD Target 1 (ASX:AUE)
 01 May 2024, Aurum Appoints Country Manager in Côte d'Ivoire (ASX:AUE)
 23 April 2024, AUE drilling hits up to 45 g/t gold at Boundiali BD Target 2 (ASX:AUE)
 19 March 2024, AUE signs binding term sheet for 100% of Boundiali South (ASX:AUE)
 12 March 2024, AUE hits 73m at 2.15g/t incl 1m at 72g/t gold at Boundiali (ASX:AUE)
 01 March 2024, Aurum hits 4m at 22 g/t gold in Boundiali diamond drilling (ASX:AUE)
 22 January 2024, Aurum hits shallow, wide gold intercepts at Boundiali, Côte d'Ivoire (ASX:AUE)
 21 December 2023, Rapid Drilling at Boundiali Gold Project (ASX:AUE)
 21 November 2023, AUE Acquisition Presentation (ASX:AUE)
 21 June 2021, Notice of General Meeting/Proxy Form (MSR:ASX)
 21 May 2021, PlusOr to Acquire 6194 sq kms Ground Position in Côte d'Ivoire (MSR:ASX)
 22 August 2019, Boundiali RC Drill Results Continue to Impress (PDI:ASX)
 15 July 2019, RC, Trench Results Grow Boundiali Potential In Côte D'Ivoire (PDI:ASX)
 27 May 2019, New Drill Results Strengthen Boundiali Project Côte D'Ivoire (PDI:ASX)
 16 January 2019, PDI-Toro JV Sharpens Focus with Major Drilling Program (PDI:ASX)
 26 November 2018, Boundiali North - Large Coherent Gold Anomalies in 14km Zone (PDI:ASX)

The Company confirms that it is not aware of any new information or data that materially affects the information included in the previous announcements.




Figure 1: Location of Aurum's projects in Côte d'Ivoire




Figure 2: Location of Aurum's Boundiali and Napié gold projects in Côte d'Ivoire




Figure 3: Aurum's Boundiali Gold Project




Figure 4: Plan view showing new drilling results (yellow) at BD Target 1¹³

¹³ Only showing intercepts greater than 5 gold gram metres. Full details of assays making up intercepts included in results table.




Figure 5: Cross Section looking north (+/-25m) showing new drill results DSD0203 – BD Target 1




Figure 6: Plan view showing new drilling results (yellow) at BD Target 2¹⁴

¹⁴ Only showing intercepts greater than 2.5 gold gram metres. Full details of assays making up intercepts included in results table.




Figure 7: Cross Section looking north (+/-25m) showing new drill results DSD0240 – BD Target 2




Figure 8: Plan view showing new drilling results (yellow) at BD Target 3¹⁵

¹⁵ Only showing intercepts greater than 2.5 gold gram metres. Full details of assays making up intercepts included in results table.




Figure 9: Cross Section looking north (+/-25m) showing new drill results DSDD0226 – BD Target 3




Figure 10: Plan view showing new drilling results (yellow) at BST Target 1¹⁶

¹⁶ Only showing intercepts greater than 2.5 gold gram metres. Full details of assays making up intercepts included in results table.




Figure 11: Cross Section looking north (+/-25m) showing new drill results BSDD0004 – BST Target 1

Table 1: Drill Collar Information for the BD tenement

Hole ID	UTM East	UTM North	Elevation (m)	Depth (m)	Azi deg	Dip deg	Deposit	Type
DSDD0187	787,780	1,054,175	378	233.05	270	-55	BDT1	DD
DSDD0192	787,711	1,054,325	383	203.40	270	-60	BDT1	DD
DSDD0193	788,051	1,054,374	386	558.30	270	-65	BDT1	DD
DSDD0196	787,900	1,054,173	381	305.50	270	-55	BDT1	DD
DSDD0197A	787,656	1,054,375	385	150.00	270	-60	BDT1	DD
DSDD0198	788,037	1,054,225	377	550.00	270	-60	BDT1	DD
DSDD0201	787,707	1,054,427	386	189.20	270	-60	BDT1	DD
DSDD0203	788,000	1,054,575	389	491.00	270	-60	BDT1	DD
DSDD0207	788,091	1,054,428	390	642.00	270	-62	BDT1	DD
DSDD0211	787,955	1,054,625	394	385.50	270	-60	BDT1	DD
DSDD0214	787,950	1,054,575	394	410.90	270	-60	BDT1	DD
DSDD0221	787,802	1,054,578	388	206.20	270	-52	BDT1	DD
DSDD0224	787,852	1,054,674	390	252.00	270	-60	BDT1	DD
DSDD0230	787,850	1,054,573	389	252.90	270	-58	BDT1	DD
DSDD0232	787,800	1,054,725	391	175.15	270	-60	BDT1	DD
DSDD0238A	787,751	1,054,772	393	98.25	270	-57	BDT1	DD
DSDD0241	787,849	1,054,724	392	112.00	270	-60	BDT1	DD
DSDD0242	787,797	1,054,774	393	161.05	270	-52	BDT1	DD
DSDD0245	787,924	1,054,823	395	120.60	270	-52	BDT1	DD
DSDD0247	787,891	1,054,775	396	276.00	270	-52	BDT1	DD
20 holes				5,773.00m			BDT1	DD
DSDD0216	789,100	1,058,998	355	305.60	270	-50	BDT2	DD
DSDD0218	788,951	1,059,150	360	178.70	270	-50	BDT2	DD
DSDD0220	788,899	1,059,198	362	135.85	270	-50	BDT2	DD
DSDD0222	789,048	1,059,149	358	281.10	270	-50	BDT2	DD
DSDD0223	789,000	1,059,201	359	208.45	270	-50	BDT2	DD
DSDD0225	788,899	1,059,248	362	129.30	270	-50	BDT2	DD
DSDD0227	789,048	1,059,248	359	208.00	270	-50	BDT2	DD
DSDD0228	789,101	1,059,199	357	227.90	270	-50	BDT2	DD
DSDD0231	788,801	1,059,293	364	151.70	270	-50	BDT2	DD
DSDD0234	789,103	1,059,350	361	161.00	270	-50	BDT2	DD
DSDD0235	789,534	1,059,599	352	492.20	270	-50	BDT2	DD
DSDD0236	788,901	1,059,295	363	192.10	270	-50	BDT2	DD

Hole ID	UTM East	UTM North	Elevation (m)	Depth (m)	Azi deg	Dip deg	Deposit	Type
DSDD0237	789,146	1,059,251	358	258.00	270	-50	BDT2	DD
DSDD0240	789,003	1,059,449	363	315.60	270	-50	BDT2	DD
DSDD0243	789,258	1,060,047	356	250.20	270	-50	BDT2	DD
DSDD0244A	788,900	1,059,850	366	153.50	270	-50	BDT2	DD
DSDD0246	789,001	1,059,299	361	170.00	270	-50	BDT2	DD
DSDD0248	789,199	1,059,997	358	180.00	270	-50	BDT2	DD
DSDD0249	789,100	1,059,300	359	201.00	270	-50	BDT2	DD
19 holes				4,200.00m			BDT2	DD
DSDD0189	785,597	1,053,838	374	336.20	270	-50	BDT3	DD
DSDD0191	785,440	1,053,903	377	176.50	270	-55	BDT3	DD
DSDD0194	785,203	1,051,230	389	250.60	270	-55	BDT3	DD
DSDD0195	785,523	1,053,610	367	184.10	270	-55	BDT3	DD
DSDD0199	785,558	1,053,959	378	343.50	270	-55	BDT3	DD
DSDD0202	785,535	1,053,518	366	182.80	270	-55	BDT3	DD
DSDD0204	785,458	1,053,427	366	201.00	270	-55	BDT3	DD
DSDD0205	785,514	1,053,322	366	150.00	270	-55	BDT3	DD
DSDD0208	785,670	1,053,247	369	180.40	105	-50	BDT3	DD
DSDD0209	785,508	1,053,426	365	245.30	270	-55	BDT3	DD
DSDD0210	785,612	1,053,031	373	175.60	105	-50	BDT3	DD
DSDD0212	785,617	1,052,434	389	175.10	105	-55	BDT3	DD
DSDD0213	785,705	1,052,236	387	202.70	105	-55	BDT3	DD
DSDD0217	785,523	1,052,259	387	187.50	105	-55	BDT3	DD
DSDD0219	785,455	1,054,033	380	219.80	270	-55	BDT3	DD
DSDD0226	785,422	1,054,198	381	219.00	270	-55	BDT3	DD
DSDD0229	785,410	1,054,298	382	221.80	270	-55	BDT3	DD
DSDD0233	785,385	1,054,398	384	211.70	270	-55	BDT3	DD
18 holes				3,863.60m			BDT3	DD
57 holes				13,836.80m			TOTAL	DD

Table 2: Significant assay results for holes reported in this release from BD tenement¹⁷

Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
DSDD0187	22.14	23.00	0.86	0.583	0.86 m @ 0.58 g/t Au	0.5	
	79.00	80.34	1.34	1.409	1.34 m @ 1.41 g/t Au	1.9	1.34 m @ 1.41 g/t Au
	82.00	83.00	1.00	0.841	6.00 m @ 0.54 g/t Au	3.2	
	83.00	84.00	1.00	0.019			
	84.00	85.00	1.00	0.136			
	85.00	86.00	1.00	0.029			
	86.00	87.00	1.00	1.499			
	87.00	88.00	1.00	0.712	2.00 m @ 0.39 g/t Au	0.8	
	146.00	147.00	1.00	0.333			
	147.00	148.00	1.00	0.456			
	197.00	198.00	1.00	0.250	2.00 m @ 0.31 g/t Au	0.6	
	198.00	199.00	1.00	0.370			
DSDD0189	40.00	41.00	1.00	1.563	1.00 m @ 1.56 g/t Au	1.6	1.00 m @ 1.56 g/t Au
	249.00	250.00	1.00	0.589	26.00 m @ 0.90 g/t Au	23.5	
	250.00	251.00	1.00	0.816			
	251.00	252.00	1.00	0.456			
	252.00	253.00	1.00	0.869			
	253.00	254.00	1.00	0.272			
	254.00	255.00	1.00	0.859			
	255.00	256.00	1.00	0.132			
	256.00	257.00	1.00	0.421			
	257.00	258.00	1.00	0.616			
	258.00	259.00	1.00	2.091			
	259.00	260.00	1.00	3.282			6.00 m @ 2.00 g/t Au
	260.00	261.00	1.00	1.925			
	261.00	262.00	1.00	0.911			
	262.00	263.00	1.00	2.177			
	263.00	264.00	1.00	1.626			
	264.00	265.00	1.00	0.652			
	265.00	266.00	1.00	0.668			
	266.00	267.00	1.00	0.294			
	267.00	268.00	1.00	0.720			
	268.00	269.00	1.00	0.732			
	269.00	270.00	1.00	0.422			
	270.00	271.00	1.00	0.405			
	271.00	272.00	1.00	1.103			1.00 m @ 1.10 g/t Au
	272.00	273.00	1.00	0.175			
	273.00	274.00	1.00	0.278			
	274.00	275.00	1.00	1.018			1.00 m @ 1.02 g/t Au
DSDD0191	86.00	87.00	1.00	1.580	1.00 m @ 1.58 g/t Au	1.6	1.00 m @ 1.58 g/t Au
DSDD0192	46.50	47.49	0.99	0.245	0.99 m @ 0.24 g/t Au	0.2	
	104.85	106.00	1.15	0.452	1.15 m @ 0.45 g/t Au	0.5	
	114.00	115.00	1.00	2.969	9.00 m @ 1.05 g/t Au	9.4	3.00 m @ 1.55 g/t Au
	115.00	116.00	1.00	0.423			
	116.00	117.00	1.00	1.253			
	117.00	118.00	1.00	0.575			
	118.00	119.00	1.00	0.421			
	119.00	120.00	1.00	0.338			1.44 m @ 1.95 g/t Au
	120.00	121.00	1.00	0.504			
	121.00	122.44	1.44	1.945			
	122.44	123.00	0.56	0.251			

¹⁷ 0.2 g/t Au cut off used with 3m internal dilution and no top cut applied

Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
	130.00	131.00	1.00	1.226	1.00 m @ 1.23 g/t Au	1.2	1.00 m @ 1.23 g/t Au
	145.00	146.00	1.00	1.320	1.00 m @ 1.32 g/t Au	1.3	1.00 m @ 1.32 g/t Au
	160.00	161.00	1.00	0.262	2.00 m @ 0.51 g/t Au	1.0	
	161.00	162.00	1.00	0.762			
	165.50	166.67	1.17	1.311	1.17 m @ 1.31 g/t Au	1.5	1.17 m @ 1.31 g/t Au
	189.00	190.00	1.00	0.301	2.34 m @ 67.21 g/t Au	157.3	
	190.00	191.34	1.34	117.149			
DSDD0193	313.00	314.00	1.00	0.362	5.00 m @ 0.55 g/t Au	2.8	
	314.00	315.00	1.00	0.733			
	315.00	316.00	1.00	0.948			
	316.00	317.00	1.00	0.386			
	317.00	318.00	1.00	0.329			
	326.00	327.00	1.00	0.363	1.00 m @ 0.36 g/t Au	0.4	
	335.00	336.00	1.00	0.223	1.00 m @ 0.22 g/t Au	0.2	
	344.00	345.00	1.00	0.207	1.00 m @ 0.21 g/t Au	0.2	
	353.00	354.00	1.00	0.785	1.00 m @ 0.79 g/t Au	0.8	
	391.40	392.00	0.60	0.428	0.60 m @ 0.43 g/t Au	0.3	
	452.00	453.00	1.00	0.216	12.00 m @ 0.25 g/t Au	3.0	
	453.00	454.00	1.00	0.008			
	454.00	454.80	0.80	0.201			
	454.80	456.00	1.20	0.743			
	456.00	457.00	1.00	0.218			
	457.00	458.00	1.00	0.142			
	458.00	459.00	1.00	0.221			
	459.00	460.00	1.00	0.234			
	460.00	461.00	1.00	0.142			
	461.00	462.00	1.00	0.223			
	462.00	463.00	1.00	0.340			
	463.00	464.00	1.00	0.234			
	471.30	472.00	0.70	0.245	17.70 m @ 0.64 g/t Au	11.3	
	472.00	473.00	1.00	0.038			
	473.00	474.00	1.00	7.311			
	474.00	475.00	1.00	0.254			
	475.00	476.00	1.00	0.294			
	476.00	477.00	1.00	0.195			
	477.00	478.00	1.00	0.436			
	478.00	479.00	1.00	0.143			
	479.00	480.00	1.00	0.659			
	480.00	481.00	1.00	0.008			
	481.00	482.00	1.00	0.639			
	482.00	483.00	1.00	0.008			
	483.00	484.00	1.00	0.075			
	484.00	485.00	1.00	0.775			
	485.00	486.00	1.00	0.088			
	486.00	487.00	1.00	0.018			
	487.00	488.00	1.00	0.008			
	488.00	489.00	1.00	0.223			
	501.00	502.00	1.00	0.274	53.45 m @ 0.96 g/t Au	51.2	
	502.00	503.00	1.00	0.839			
	503.00	504.00	1.00	1.212			
	504.00	505.00	1.00	0.261			
	505.00	506.00	1.00	0.100			
	506.00	507.00	1.00	0.544			
	507.00	508.00	1.00	0.348			
	508.00	509.00	1.00	0.151			
	509.00	510.00	1.00	0.201			

Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au	
	510.00	511.00	1.00	0.385			1.00 m @ 1.02 g/t Au	
	511.00	512.00	1.00	1.016				
	512.00	513.00	1.00	0.160				
	513.00	514.00	1.00	0.173				
	514.00	515.00	1.00	0.466				
	515.00	516.00	1.00	0.143				
	516.00	517.00	1.00	0.347				
	517.00	518.00	1.00	0.334				
	518.00	519.00	1.00	0.473				
	519.00	520.00	1.00	0.522				
	520.00	521.00	1.00	0.767				
	521.00	522.00	1.00	0.560				
	522.00	523.00	1.00	0.424				
	523.00	524.00	1.00	0.228				
	524.00	525.00	1.00	11.959			1.00 m @ 11.96 g/t Au	
	525.00	526.00	1.00	0.165				
	526.00	527.00	1.00	0.154				
	527.00	528.00	1.00	0.095				
	528.00	529.00	1.00	0.251				
	529.00	530.00	1.00	0.129				
	530.00	531.00	1.00	0.514				
	531.00	532.00	1.00	0.274				
	532.00	533.00	1.00	0.728				
	533.00	534.00	1.00	0.464				
	534.00	535.00	1.00	18.415			3.00 m @ 6.94 g/t Au	
	535.00	536.00	1.00	0.199				
	536.00	537.00	1.00	2.200				
	537.00	538.00	1.00	0.595				
	538.00	539.00	1.00	0.639				
	539.00	540.00	1.00	0.537				
	540.00	541.00	1.00	0.207				
	541.00	542.00	1.00	0.114				
	542.00	543.00	1.00	0.105				
	543.00	544.00	1.00	0.371				
	544.00	545.00	1.00	0.246				
	545.00	546.00	1.00	0.974				
	546.00	547.00	1.00	0.206				
	547.00	548.00	1.00	0.319				
	548.00	549.00	1.00	0.367				
	549.00	550.00	1.00	0.066				
	550.00	551.00	1.00	0.288				
	551.00	552.00	1.00	0.141				
	552.00	553.00	1.00	0.173				
	553.00	554.45	1.45	0.243				
DSDD0194	32.21	33.50	1.29	0.385	1.29 m @ 0.39 g/t Au	0.5		
	71.00	72.00	1.00	0.228	1.00 m @ 0.23 g/t Au	0.2		
	84.00	85.00	1.00	0.235		0.2		
	92.00	93.00	1.00	0.304	1.00 m @ 0.30 g/t Au	0.3		
DSDD0195	1.50	3.00	1.50	0.284	1.50 m @ 0.28 g/t Au	0.4	1.00 m @ 1.40 g/t Au	
	99.00	100.00	1.00	1.398	2.00 m @ 1.19 g/t Au	2.4		
	100.00	101.00	1.00	0.983				
	140.00	141.00	1.00	12.265	1.00 m @ 12.27 g/t Au	12.3		1.00 m @ 12.27 g/t Au
DSDD0196	165.00	166.00	1.00	0.248	1.00 m @ 0.25 g/t Au	0.2		
	247.00	248.00	1.00	0.380	1.00 m @ 0.38 g/t Au	0.4		
	299.00	300.00	1.00	0.606	2.00 m @ 0.51 g/t Au	1.0		
	300.00	301.00	1.00	0.420				

Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
DSDD0197A	24.00	25.50	1.50	0.270	1.50 m @ 0.27 g/t Au	0.4	
DSDD0198	186.00	187.00	1.00	0.380	1.00 m @ 0.38 g/t Au	0.4	
	334.00	335.00	1.00	0.210	2.00 m @ 0.26 g/t Au	0.5	
	335.00	336.00	1.00	0.300			
	402.00	403.00	1.00	0.590	6.00 m @ 0.27 g/t Au	1.6	
	403.00	404.00	1.00	0.160			
	404.00	405.00	1.00	0.130			
	405.00	406.00	1.00	0.300			
	406.00	407.00	1.00	0.150			
	407.00	408.00	1.00	0.310			
	412.00	413.00	1.00	0.220	22.00 m @ 0.54 g/t Au	11.9	
	413.00	414.00	1.00	0.120			
	414.00	415.00	1.00	0.005			
	415.00	416.00	1.00	0.005			
	416.00	417.00	1.00	0.270			
	417.00	418.00	1.00	0.170			
	418.00	419.00	1.00	0.060			
	419.00	420.00	1.00	0.170			
	420.00	421.00	1.00	0.250			
	421.00	422.00	1.00	0.120			
	422.00	423.00	1.00	0.630			
	423.00	424.00	1.00	3.140			3.00 m @ 1.80 g/t Au
	424.00	425.00	1.00	0.530			
	425.00	426.00	1.00	1.720			
	426.00	427.00	1.00	0.070			
	427.00	428.00	1.00	0.070			
	428.00	429.00	1.00	0.380			
	429.00	430.00	1.00	0.860			
	430.00	431.00	1.00	0.160			2.00 m @ 1.14 g/t Au
	431.00	432.00	1.00	0.660			
	432.00	433.00	1.00	1.150			
	433.00	434.00	1.00	1.120			
	443.00	444.00	1.00	0.230	1.00 m @ 0.23 g/t Au	0.2	
	447.00	448.00	1.00	0.450	1.00 m @ 0.45 g/t Au	0.5	
	455.00	455.80	0.80	0.490	22.00 m @ 0.38 g/t Au	8.3	
	455.80	457.00	1.20	0.490			
	457.00	458.00	1.00	0.130			
	458.00	459.00	1.00	0.440			
	459.00	460.00	1.00	1.080		1.00 m @ 1.08 g/t Au	
	460.00	461.00	1.00	0.190			
	461.00	462.00	1.00	0.070			
	462.00	463.00	1.00	0.070			
	463.00	464.00	1.00	0.460			
	464.00	465.00	1.00	0.160			
	465.00	466.00	1.00	0.190			
	466.00	467.00	1.00	0.580			
	467.00	468.00	1.00	0.220			
	468.00	469.00	1.00	0.200			
469.00	470.00	1.00	0.430				
470.00	471.00	1.00	0.220				
471.00	472.00	1.00	0.650				
472.00	473.00	1.00	0.470				
473.00	474.00	1.00	0.510				
474.00	475.00	1.00	0.520				
475.00	476.00	1.00	0.520				
476.00	477.00	1.00	0.240				

Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au	
	490.70	492.00	1.30	0.290	11.30 m @ 0.31 g/t Au	3.5		
	492.00	493.00	1.00	0.670				
	493.00	494.00	1.00	0.470				
	494.00	495.00	1.00	0.070				
	495.00	496.00	1.00	0.070				
	496.00	497.00	1.00	0.110				
	497.00	498.00	1.00	0.710				
	498.00	499.00	1.00	0.120				
	499.00	500.00	1.00	0.040				
	500.00	501.00	1.00	0.080				
	501.00	502.00	1.00	0.820				
	507.00	508.00	1.00	0.210	2.00 m @ 0.40 g/t Au	0.8		
	508.00	509.00	1.00	0.590				
	519.00	520.00	1.00	0.300	1.00 m @ 0.30 g/t Au	0.3		
DSDD0199	209.50	211.00	1.50	0.790	1.50 m @ 0.79 g/t Au	1.2		
	258.00	259.00	1.00	0.490	1.00 m @ 0.49 g/t Au	0.5		
	280.00	281.00	1.00	0.510	1.00 m @ 0.51 g/t Au	0.5		
	313.00	314.00	1.00	0.700	1.00 m @ 0.70 g/t Au	0.7		
	318.00	319.00	1.00	0.940	6.00 m @ 0.32 g/t Au	1.9		
	319.00	320.00	1.00	0.270				
	320.00	321.00	1.00	0.060				
	321.00	322.00	1.00	0.160				
	322.00	323.00	1.00	0.120				
	323.00	324.00	1.00	0.390				
DSDD0201	73.00	74.00	1.00	0.260	1.00 m @ 0.26 g/t Au	0.3		
	76.00	77.00	1.00	0.200	1.00 m @ 0.20 g/t Au	0.2		
	82.00	83.15	1.15	1.180	7.00 m @ 2.54 g/t Au	17.7		1.15 m @ 1.18 g/t Au
	83.15	84.00	0.85	0.940				
	84.00	85.00	1.00	4.940				5.00 m @ 3.12 g/t Au
	85.00	86.00	1.00	0.590				
	86.00	87.00	1.00	0.860				
	87.00	88.00	1.00	1.380				
	88.00	89.00	1.00	7.820				
	165.00	166.00	1.00	0.430	1.00 m @ 0.43 g/t Au	0.4		
DSDD0202	6.00	7.00	1.00	0.270	1.00 m @ 0.27 g/t Au	0.3		
	65.00	66.35	1.35	0.420	1.35 m @ 0.42 g/t Au	0.6		
	120.00	121.00	1.00	6.760	2.00 m @ 3.50 g/t Au	7.0		1.00 m @ 6.76 g/t Au
	121.00	122.00	1.00	0.240				
	140.00	141.00	1.00	1.850	5.00 m @ 1.90 g/t Au	9.5		3.00 m @ 2.74 g/t Au
	141.00	142.00	1.00	0.210				
	142.00	143.00	1.00	6.170				
	143.00	144.00	1.00	0.990				
	144.00	145.00	1.00	0.300				
DSDD0203	3.00	4.00	1.00	3.643	1.00 m @ 3.64 g/t Au	3.6	1.00 m @ 3.64 g/t Au	
	5.12	6.50	1.38	0.961	1.38 m @ 0.96 g/t Au	1.3		
	149.00	150.00	1.00	0.563	1.00 m @ 0.56 g/t Au	0.6		
	208.00	209.00	1.00	0.210	1.00 m @ 0.21 g/t Au	0.2		
	315.00	316.00	1.00	1.575	8.00 m @ 0.34 g/t Au	2.7	1.00 m @ 1.57 g/t Au	
	316.00	317.00	1.00	0.254				
	317.00	318.00	1.00	0.104				
	318.00	319.00	1.00	0.088				
	319.00	320.00	1.00	0.085				
	320.00	321.00	1.00	0.270				
	321.00	322.00	1.00	0.145				
	322.00	323.00	1.00	0.212				
	327.00	328.00	1.00	0.348	1.00 m @ 0.35 g/t Au	0.3		

Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au		
	356.00	357.00	1.00	0.225	1.00 m @ 0.23 g/t Au	0.2	1.00 m @ 1.17 g/t Au		
	370.00	371.00	1.00	1.174	5.00 m @ 0.38 g/t Au	1.9			
	371.00	372.00	1.00	0.186					
	372.00	373.00	1.00	0.058					
	373.00	373.80	0.80	0.203					
	373.80	375.00	1.20	0.279			5.00 m @ 0.33 g/t Au	1.7	
	380.00	381.00	1.00	0.218					
	381.00	382.00	1.00	0.115					
	382.00	382.50	0.50	0.845					
	382.50	383.80	1.30	0.227					
	383.80	385.00	1.20	0.500	16.17 m @ 0.57 g/t Au	9.2	2.00 m @ 1.72 g/t Au		
	389.83	391.00	1.17	0.558					
	391.00	392.00	1.00	2.259					
	392.00	393.00	1.00	1.178					
	393.00	394.00	1.00	0.436					
	394.00	395.00	1.00	0.245					
	395.00	396.00	1.00	0.256					
	396.00	397.00	1.00	0.409					
	397.00	398.00	1.00	0.516					
	398.00	399.50	1.50	0.296					
	399.50	401.00	1.50	0.075					
	401.00	402.00	1.00	0.102					
	402.00	403.00	1.00	0.823					
	403.00	404.00	1.00	0.028					
	404.00	405.00	1.00	1.282	1.00 m @ 1.28 g/t Au				
	405.00	406.00	1.00	0.428	6.00 m @ 30.68 g/t Au	184.1			
	410.00	411.00	1.00	0.385					
	411.00	412.00	1.00	0.049					
	412.00	413.00	1.00	181.204			4.00 m @ 45.91 g/t Au		
	413.00	414.00	1.00	0.599					
	414.00	415.00	1.00	0.171					
	415.00	416.00	1.00	1.653					
	449.00	450.00	1.00	0.483	1.00 m @ 0.48 g/t Au	0.5			
DSDD0204	34.00	35.00	1.00	0.620	1.00 m @ 0.62 g/t Au	0.6			
DSDD0205	9.76	11.00	1.24	0.440	1.24 m @ 0.44 g/t Au	0.5			
DSDD0207	356.47	357.80	1.33	0.450	1.33 m @ 0.45 g/t Au	0.6			
	363.00	364.00	1.00	0.300	4.00 m @ 0.34 g/t Au	1.4			
	364.00	365.00	1.00	0.170					
	365.00	366.00	1.00	0.680					
	366.00	367.00	1.00	0.220					
	384.00	385.00	1.00	4.060				4.00 m @ 1.23 g/t Au	4.9
	385.00	386.00	1.00	0.120					
	386.00	387.00	1.00	0.160					
	387.00	388.00	1.00	0.580					
	480.00	481.00	1.00	0.320	2.00 m @ 0.33 g/t Au	0.7			
	481.00	482.00	1.00	0.330					
	512.60	513.60	1.00	0.300	5.40 m @ 0.35 g/t Au	1.9			
	513.60	515.00	1.40	0.280					
	515.00	516.00	1.00	0.200					
	516.00	517.00	1.00	0.490					
	517.00	518.00	1.00	0.490					
	524.00	525.00	1.00	2.650	23.00 m @ 0.43 g/t Au	10.0	1.00 m @ 2.65 g/t Au		
	525.00	526.00	1.00	0.380					
	526.00	527.00	1.00	0.480					
	527.00	528.00	1.00	0.300					
	528.00	529.00	1.00	0.330					

Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au		
	529.00	530.00	1.00	0.250					
	530.00	531.00	1.00	0.110					
	531.00	532.00	1.00	0.070					
	532.00	533.00	1.00	0.150					
	533.00	534.00	1.00	0.260					
	534.00	535.00	1.00	0.140					
	535.00	536.00	1.00	0.130					
	536.00	537.00	1.00	0.070					
	537.00	538.00	1.00	1.560				1.00 m @ 1.56 g/t Au	
	538.00	539.00	1.00	0.450					
	539.00	540.00	1.00	0.130					
	540.00	541.00	1.00	0.160					
	541.00	542.00	1.00	0.005					
	542.00	543.00	1.00	0.260					
	543.00	544.00	1.00	0.150					
	544.00	545.00	1.00	0.590					
	545.00	546.00	1.00	0.330					
	546.00	547.00	1.00	1.040			1.00 m @ 1.04 g/t Au		
	554.00	555.00	1.00	1.290			1.00 m @ 1.29 g/t Au		
	555.00	556.00	1.00	0.050			19.76 m @ 0.88 g/t Au	17.3	
	556.00	557.00	1.00	0.010					
	557.00	558.00	1.00	0.005					
	558.00	559.00	1.00	0.340					
	559.00	560.00	1.00	0.150					
	560.00	561.00	1.00	0.230					
	561.00	562.00	1.00	0.120					
	562.00	563.00	1.00	0.170					
	563.00	564.00	1.00	0.640					
	564.00	565.00	1.00	0.660					
	565.00	566.00	1.00	1.360	1.00 m @ 1.36 g/t Au				
	566.00	567.00	1.00	0.250					
	567.00	568.00	1.00	0.340					
	568.00	569.00	1.00	0.640					
	569.00	570.00	1.00	0.260					
	570.00	571.00	1.00	5.950					
	571.00	572.00	1.00	0.290					
	572.00	573.00	1.00	0.320					
	573.00	573.76	0.76	5.560	11.00 m @ 0.66 g/t Au	7.3			
	582.00	583.00	1.00	0.810					
	583.00	584.00	1.00	0.360			1.00 m @ 1.25 g/t Au		
	584.00	585.00	1.00	1.250					
	585.00	586.00	1.00	0.610					
	586.00	587.00	1.00	0.410					
	587.00	588.00	1.00	0.730					
	588.00	589.00	1.00	0.280					
	589.00	590.00	1.00	0.750					
	590.00	591.00	1.00	0.150					
	591.00	592.00	1.00	1.640		1.00 m @ 1.64 g/t Au			
	592.00	593.00	1.00	0.260					
	DSDD0208	18.00	19.00	1.00	0.420	6.00 m @ 0.52 g/t Au	3.1		
19.00		20.00	1.00	0.980					
20.00		21.00	1.00	0.210					
21.00		22.00	1.00	0.210					
22.00		23.00	1.00	0.660					
23.00		24.00	1.00	0.620					
24.70		25.81	1.11	0.860	1.11 m @ 0.86 g/t Au	1.0			

Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
	27.00	28.00	1.00	1.070	18.59 m @ 0.90 g/t Au	16.8	7.00 m @ 1.44 g/t Au
	28.00	29.00	1.00	2.400			
	29.00	30.00	1.00	0.560			
	30.00	31.00	1.00	3.020			
	31.00	32.00	1.00	0.460			
	32.00	33.00	1.00	1.050			
	33.00	34.00	1.00	1.520			
	34.00	35.00	1.00	0.370			
	35.00	36.00	1.00	0.600			
	36.00	37.00	1.00	0.160			
	37.00	38.00	1.00	4.150			
	38.00	39.00	1.00	0.100			
	39.00	40.00	1.00	0.490			
	40.00	41.00	1.00	0.120			
	41.00	42.00	1.00	0.200			
	42.00	43.00	1.00	0.020			
	43.00	44.00	1.00	0.090			
	44.00	45.00	1.00	0.120			
	45.00	45.59	0.59	0.440			
	47.80	48.67	0.87	0.230			0.87 m @ 0.23 g/t Au
161.00	162.00	1.00	0.390	1.00 m @ 0.39 g/t Au	0.4		
DSDD0209	34.00	35.00	1.00	0.250	1.00 m @ 0.25 g/t Au	0.3	
	36.00	37.00	1.00	0.220	1.00 m @ 0.22 g/t Au	0.2	
DSDD0210	34.00	35.00	1.00	0.277	1.00 m @ 0.28 g/t Au	0.3	
	78.35	79.00	0.65	0.247	0.65 m @ 0.25 g/t Au	0.2	
	85.00	86.00	1.00	9.391	1.00 m @ 9.39 g/t Au	9.4	1.00 m @ 9.39 g/t Au
	96.00	97.00	1.00	0.216	9.00 m @ 0.34 g/t Au	3.0	
	97.00	98.00	1.00	0.171			
	98.00	99.00	1.00	0.273			
	99.00	100.00	1.00	0.713			
	100.00	101.00	1.00	0.098			
	101.00	102.00	1.00	0.569			
	102.00	103.00	1.00	0.144			
	103.00	104.00	1.00	0.366			
	104.00	105.00	1.00	0.469			
DSDD0211	25.00	26.00	1.00	0.270			
	263.00	264.00	1.00	0.550	1.00 m @ 0.55 g/t Au	0.6	
	309.00	310.00	1.00	0.350	15.00 m @ 0.79 g/t Au	11.8	2.00 m @ 2.38 g/t Au
	310.00	311.00	1.00	0.200			
	311.00	312.00	1.00	0.520			
	312.00	313.00	1.00	0.140			
	313.00	314.00	1.00	0.130			
	314.00	315.00	1.00	1.260			
	315.00	316.00	1.00	3.500			
	316.00	317.00	1.00	0.530			
	317.00	318.00	1.00	0.030			
	318.00	319.00	1.00	0.060			
	319.00	320.00	1.00	0.170			
	320.00	321.00	1.00	0.810			
	321.00	322.00	1.00	0.150			
	322.00	323.00	1.00	3.120	10.00 m @ 0.40 g/t Au	4.0	1.00 m @ 3.12 g/t Au
	323.00	324.00	1.00	0.860			
	332.00	333.00	1.00	0.560			
	333.00	334.00	1.00	0.230			
	334.00	335.00	1.00	0.320			
	335.00	336.00	1.00	0.200			

Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
	336.00	337.00	1.00	0.140			
	337.00	338.00	1.00	0.320			
	338.00	339.00	1.00	0.030			1.00 m @ 1.03 g/t Au
	339.00	340.00	1.00	1.030			
	340.00	341.00	1.00	0.580			
	341.00	342.00	1.00	0.620			
	350.00	351.00	1.00	0.440	2.00 m @ 0.40 g/t Au	0.8	
	351.00	352.00	1.00	0.350			
	383.00	384.00	1.00	0.410	1.00 m @ 0.41 g/t Au	0.4	
DSDD0212	13.00	14.00	1.00	0.220	1.00 m @ 0.22 g/t Au	0.2	
DSDD0213	0.00	202.70	202.70		NSI		
DSDD0214	214.00	215.00	1.00	0.305	6.00 m @ 0.34 g/t Au	2.0	
	215.00	216.20	1.20	0.342			
	216.20	217.00	0.80	0.146			
	217.00	218.00	1.00	0.056			
	218.00	219.00	1.00	0.352			
	219.00	220.00	1.00	0.787			
	231.00	232.00	1.00	0.403	2.00 m @ 0.38 g/t Au	0.8	
	232.00	233.00	1.00	0.348			
	251.00	252.00	1.00	1.724	2.00 m @ 1.00 g/t Au	2.0	1.00 m @ 1.72 g/t Au
	252.00	253.00	1.00	0.270			
	266.00	267.00	1.00	0.487			
	274.00	275.00	1.00	0.492		0.5	
	281.00	282.00	1.00	0.228	1.00 m @ 0.23 g/t Au	0.2	
	304.38	305.00	0.62	0.810	34.62 m @ 0.26 g/t Au	9.0	
	305.00	306.00	1.00	0.335			
	306.00	307.00	1.00	0.403			
	307.00	308.00	1.00	0.098			
	308.00	309.00	1.00	0.076			
	309.00	310.00	1.00	0.389			
	310.00	311.00	1.00	0.429			
	311.00	312.00	1.00	0.171			
	312.00	313.00	1.00	0.154			
	313.00	314.00	1.00	0.031			
	314.00	315.00	1.00	0.272			
	315.00	316.00	1.00	0.209			
	316.00	317.00	1.00	0.139			
	317.00	318.00	1.00	0.435			
	318.00	319.00	1.00	0.060			
	319.00	320.00	1.00	0.043			
	320.00	321.00	1.00	0.127			
	321.00	322.00	1.00	0.257			
	322.00	323.00	1.00	0.700			
	323.00	324.00	1.00	0.508			
	324.00	325.00	1.00	0.915			
	325.00	326.00	1.00	0.234			
	326.00	327.00	1.00	0.120			
	327.00	328.00	1.00	0.055			
	328.00	329.00	1.00	0.242			
	329.00	330.00	1.00	0.273			
	330.00	331.00	1.00	0.147			
	331.00	332.00	1.00	0.400			
	332.00	333.00	1.00	0.175			
	333.00	334.00	1.00	0.100			
	334.00	335.00	1.00	0.105			
	335.00	336.00	1.00	0.249			

Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
	336.00	337.00	1.00	0.167			
	337.00	338.00	1.00	0.235			
	338.00	339.00	1.00	0.246			
	348.00	349.00	1.00	0.407	2.00 m @ 0.33 g/t Au	0.7	
	349.00	350.00	1.00	0.250			
	360.00	361.00	1.00	0.497			
	361.00	362.00	1.00	0.053	3.00 m @ 0.30 g/t Au	0.9	
	362.00	363.00	1.00	0.340			
	388.00	389.00	1.00	0.318			
	389.00	390.00	1.00	0.181			
	390.00	391.00	1.00	0.532			
	391.00	392.45	1.45	0.496			
DSDD0216	4.50	6.00	1.50	1.191	1.50 m @ 1.19 g/t Au	1.8	1.50 m @ 1.19 g/t Au
	83.00	84.00	1.00	0.275	1.00 m @ 0.28 g/t Au	0.3	
	224.00	225.00	1.00	0.380	2.00 m @ 0.60 g/t Au	1.2	
	225.00	226.00	1.00	0.826			
	259.00	260.00	1.00	0.207	1.00 m @ 0.21 g/t Au	0.2	
	288.00	289.00	1.00	0.322	2.00 m @ 0.26 g/t Au	0.5	
	289.00	290.00	1.00	0.206			
DSDD0217	12.00	12.88	0.88	0.440	0.88 m @ 0.44 g/t Au	0.4	
	14.02	15.00	0.98	0.304	0.98 m @ 0.30 g/t Au	0.3	
	73.00	74.00	1.00	0.260	1.00 m @ 0.26 g/t Au	0.3	
	76.00	77.00	1.00	0.217	1.00 m @ 0.22 g/t Au	0.2	
	78.00	79.00	1.00	0.247	1.00 m @ 0.25 g/t Au	0.2	
	100.00	101.00	1.00	7.872	1.00 m @ 7.87 g/t Au	7.9	1.00 m @ 7.87 g/t Au
	107.00	108.00	1.00	2.088	1.00 m @ 2.09 g/t Au	2.1	1.00 m @ 2.09 g/t Au
	167.00	168.00	1.00	0.414	1.00 m @ 0.41 g/t Au	0.4	
	184.00	185.00	1.00	1.470	1.00 m @ 1.47 g/t Au	1.5	1.00 m @ 1.47 g/t Au
DSDD0218	0.00	1.00	1.00	0.277	1.00 m @ 0.28 g/t Au	0.3	
	26.71	27.71	1.00	0.494	1.00 m @ 0.49 g/t Au	0.5	
	29.50	30.00	0.50	1.524	2.00 m @ 16.67 g/t Au	33.3	2.00 m @ 16.67 g/t Au
	30.00	31.50	1.50	21.721			
	32.58	33.78	1.20	2.827	1.20 m @ 2.83 g/t Au	3.4	1.20 m @ 2.83 g/t Au
	39.00	39.84	0.84	0.639	0.84 m @ 0.64 g/t Au	0.5	
	41.05	42.10	1.05	0.835	1.05 m @ 0.83 g/t Au	0.9	
	47.00	48.00	1.00	0.200	2.00 m @ 0.22 g/t Au	0.4	
	48.00	49.00	1.00	0.249			
	59.00	60.00	1.00	0.592	1.00 m @ 0.59 g/t Au	0.6	
	80.00	81.00	1.00	0.310	6.20 m @ 0.37 g/t Au	2.3	0.50 m @ 1.22 g/t Au
	81.00	82.50	1.50	0.008			
	82.50	83.00	0.50	1.222			
	83.00	84.00	1.00	0.761			
	84.00	85.00	1.00	0.197			
	85.00	86.20	1.20	0.353	1.00 m @ 2.76 g/t Au	2.8	1.00 m @ 2.76 g/t Au
	116.00	117.00	1.00	2.756			
	125.00	126.00	1.00	0.550	11.00 m @ 0.42 g/t Au	4.7	
	126.00	126.60	0.60	0.008			
	126.60	128.00	1.40	0.373			
	128.00	129.00	1.00	0.038			
	129.00	130.00	1.00	0.066			
	130.00	131.00	1.00	0.972			
	131.00	132.00	1.00	0.094			
	132.00	133.00	1.00	0.531			
	133.00	134.00	1.00	0.475			
	134.00	135.00	1.00	0.659			
	135.00	136.00	1.00	0.749			

Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
DSDD0219	160.00	160.76	0.76	0.654	3.00 m @ 1.02 g/t Au	3.1	
	160.76	162.00	1.24	1.824			1.24 m @ 1.82 g/t Au
	162.00	163.00	1.00	0.306			
	189.00	190.00	1.00	1.040	2.00 m @ 0.93 g/t Au	1.9	1.00 m @ 1.04 g/t Au
	190.00	191.00	1.00	0.814			
DSDD0220	1.00	2.00	1.00	0.670	1.00 m @ 0.67 g/t Au	0.7	
	45.00	46.06	1.06	0.223	1.06 m @ 0.22 g/t Au	0.2	
	96.00	97.00	1.00	0.728	1.00 m @ 0.73 g/t Au	0.7	
	109.00	110.00	1.00	0.870	1.00 m @ 0.87 g/t Au	0.9	
DSDD0221	6.00	7.50	1.50	0.270	5.50 m @ 0.65 g/t Au	3.6	
	7.50	9.00	1.50	0.410			
	9.00	10.50	1.50	1.520			1.50 m @ 1.52 g/t Au
	10.50	11.50	1.00	0.250			
	45.00	46.00	1.00	0.260	20.00 m @ 0.23 g/t Au	4.5	
	46.00	47.00	1.00	0.190			
	47.00	48.00	1.00	0.140			
	48.00	49.00	1.00	0.250			
	49.00	50.00	1.00	0.330			
	50.00	51.00	1.00	0.240			
	51.00	52.00	1.00	0.290			
	52.00	53.00	1.00	0.010			
	53.00	54.00	1.00	0.030			
	54.00	55.00	1.00	0.380			
	55.00	56.00	1.00	0.080			
	56.00	57.00	1.00	0.040			
	57.00	58.00	1.00	0.810			
	58.00	59.00	1.00	0.210			
	59.00	60.00	1.00	0.140			
	60.00	61.00	1.00	0.010			
	61.00	62.00	1.00	0.290			
	62.00	63.00	1.00	0.140			
	63.00	64.00	1.00	0.320			
	64.00	65.00	1.00	0.350			
	164.00	165.00	1.00	0.340	1.00 m @ 0.34 g/t Au	0.3	
	194.80	196.00	1.20	0.640	1.20 m @ 0.64 g/t Au	0.8	
DSDD0222	7.00	8.00	1.00	1.410	1.00 m @ 1.41 g/t Au	1.4	1.00 m @ 1.41 g/t Au
	11.40	12.36	0.96	0.430	0.96 m @ 0.43 g/t Au	0.4	
	14.00	15.00	1.00	0.970	1.00 m @ 0.97 g/t Au	1.0	
	16.07	17.29	1.22	0.520	1.22 m @ 0.52 g/t Au	0.6	
	24.00	25.00	1.00	0.240	3.82 m @ 0.72 g/t Au	2.8	
	25.00	26.00	1.00	1.990			1.00 m @ 1.99 g/t Au
	26.00	27.00	1.00	0.090			
	27.00	27.82	0.82	0.530	1.50 m @ 0.48 g/t Au	0.7	
	28.50	29.00	0.50	0.650			
	29.00	30.00	1.00	0.390	1.04 m @ 0.31 g/t Au	0.3	
	33.00	34.04	1.04	0.310	1.20 m @ 0.34 g/t Au	0.4	
	49.00	50.20	1.20	0.340	4.00 m @ 0.26 g/t Au	1.0	
	193.00	194.00	1.00	0.440			
	194.00	195.00	1.00	0.010			
	195.00	196.00	1.00	0.020			
	196.00	197.00	1.00	0.570	1.00 m @ 0.35 g/t Au	0.4	
	213.00	214.00	1.00	0.350	2.00 m @ 0.57 g/t Au	1.1	
	219.00	220.00	1.00	0.470			
	220.00	221.00	1.00	0.670	1.00 m @ 0.30 g/t Au	0.3	
	230.00	231.00	1.00	0.300			
DSDD0223	8.00	9.00	1.00	0.670	7.00 m @ 1.69 g/t Au	11.8	

Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
	9.00	10.00	1.00	0.390			4.00 m @ 2.55 g/t Au
	10.00	11.00	1.00	4.160			
	11.00	12.00	1.00	0.560			
	12.00	13.00	1.00	1.210			
	13.00	14.00	1.00	4.280			
	14.00	15.00	1.00	0.560			
	21.00	22.00	1.00	0.420	2.00 m @ 0.45 g/t Au	0.9	
	22.00	23.00	1.00	0.480			
	55.00	56.00	1.00	0.360	4.00 m @ 0.28 g/t Au	1.1	
	56.00	57.00	1.00	0.020			
	57.00	58.00	1.00	0.020			
	58.00	59.00	1.00	0.710			
	99.00	100.00	1.00	0.700	7.00 m @ 0.24 g/t Au	1.7	
	100.00	101.00	1.00	0.200			
	101.00	102.00	1.00	0.270			
	102.00	103.00	1.00	0.060			
	103.00	104.00	1.00	0.010			
	104.00	105.00	1.00	0.240			
	105.00	106.00	1.00	0.220			
	132.00	133.00	1.00	0.290	1.00 m @ 0.29 g/t Au	0.3	
	138.00	139.00	1.00	0.280	1.00 m @ 0.28 g/t Au	0.3	
	144.00	145.00	1.00	2.070	6.00 m @ 0.51 g/t Au	3.1	
	145.00	146.00	1.00	0.080			
	146.00	147.00	1.00	0.040			
	147.00	148.00	1.00	0.130			
	148.00	149.00	1.00	0.270			
	149.00	150.00	1.00	0.490			
	177.00	178.00	1.00	0.360	1.00 m @ 0.36 g/t Au	0.4	
DSDD0224	217.00	218.00	1.00	0.280	2.00 m @ 0.55 g/t Au	1.1	
	218.00	219.00	1.00	0.810			
	DSDD0225	3.90	4.61	0.71	0.930	0.71 m @ 0.93 g/t Au	0.7
26.50		27.64	1.14	1.220	1.14 m @ 1.22 g/t Au	1.4	1.14 m @ 1.22 g/t Au
38.33		39.54	1.21	1.720	1.21 m @ 1.72 g/t Au	2.1	1.21 m @ 1.72 g/t Au
78.30		79.63	1.33	1.130	1.33 m @ 1.13 g/t Au	1.5	1.33 m @ 1.13 g/t Au
88.21		89.50	1.29	0.840	3.79 m @ 0.39 g/t Au	1.5	
89.50		91.00	1.50	0.050			
91.00		92.00	1.00	0.310			
DSDD0226	75.00	76.00	1.00	0.400	1.00 m @ 0.40 g/t Au	0.4	
	84.00	85.27	1.27	0.220	1.27 m @ 0.22 g/t Au	0.3	
	95.08	96.00	0.92	0.600	1.92 m @ 0.56 g/t Au	1.1	
	96.00	97.00	1.00	0.520			
	102.00	103.37	1.37	0.310	1.37 m @ 0.31 g/t Au	0.4	
	125.00	126.00	1.00	0.210	1.00 m @ 0.21 g/t Au	0.2	
	129.50	130.00	0.50	1.240	1.50 m @ 0.63 g/t Au	0.9	0.50 m @ 1.24 g/t Au
	130.00	131.00	1.00	0.320			
	142.00	143.00	1.00	0.240	1.00 m @ 0.24 g/t Au	0.2	
	155.50	156.49	0.99	48.830	1.50 m @ 32.51 g/t Au	48.8	0.99 m @ 48.83 g/t Au
	156.49	157.00	0.51	0.830			
	195.00	196.00	1.00	0.330	1.00 m @ 0.33 g/t Au	0.3	
	198.00	199.00	1.00	0.200	1.00 m @ 0.20 g/t Au	0.2	
DSDD0227	107.00	108.00	1.00	7.880	1.00 m @ 7.88 g/t Au	7.9	1.00 m @ 7.88 g/t Au
	121.00	122.00	1.00	2.090	1.00 m @ 2.09 g/t Au	2.1	1.00 m @ 2.09 g/t Au
	153.54	155.00	1.46	0.220	2.46 m @ 0.24 g/t Au	0.6	
	155.00	156.00	1.00	0.270			
	160.70	162.00	1.30	1.680	1.30 m @ 1.68 g/t Au	2.2	1.30 m @ 1.68 g/t Au
	173.00	174.00	1.00	0.300	14.21 m @ 0.35 g/t Au	4.9	

Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
	174.00	175.00	1.00	0.950	2.00 m @ 0.66 g/t Au	1.3	1.00 m @ 1.12 g/t Au
	175.00	176.00	1.00	0.010			
	176.00	177.00	1.00	0.210			
	177.00	177.59	0.59	0.110			
	177.59	179.00	1.41	0.280			
	179.00	180.00	1.00	0.260			
	180.00	181.00	1.00	0.090			
	181.00	182.00	1.00	0.120			
	182.00	183.00	1.00	0.880			
	183.00	184.00	1.00	0.110			
	184.00	185.00	1.00	0.300			
	185.00	186.00	1.00	0.330			
	186.00	187.21	1.21	0.750			
	193.00	194.00	1.00	1.120			
DSDD0228	194.00	195.00	1.00	0.200	3.00 m @ 0.24 g/t Au	0.7	0.90 m @ 5.00 g/t Au
	3.00	4.50	1.50	0.210			
	4.50	6.00	1.50	0.280			
	9.00	9.65	0.65	0.460			
	10.90	12.00	1.10	0.320			
	36.43	37.50	1.07	0.760			
	55.00	56.10	1.10	0.480			
	56.10	57.00	0.90	5.000			
	57.00	58.00	1.00	0.460			
	76.00	77.00	1.00	0.260			
	99.00	100.00	1.00	0.670			
	109.00	110.00	1.00	0.250			
	113.00	114.00	1.00	0.200			
	136.00	137.00	1.00	0.300			
	148.00	149.20	1.20	0.550			
	160.00	161.00	1.00	4.230			
	200.00	201.00	1.00	0.350			
	209.00	210.00	1.00	0.470			
	214.00	215.00	1.00	0.290			
	215.00	216.00	1.00	0.030			
	216.00	217.00	1.00	0.070			
	217.00	218.00	1.00	0.240			
	218.00	219.00	1.00	0.620			
DSDD0229	42.00	42.80	0.80	0.610	7.00 m @ 0.35 g/t Au	2.5	1.00 m @ 1.60 g/t Au
	109.00	110.30	1.30	0.210			
	120.00	121.00	1.00	0.240			
	121.00	122.00	1.00	0.070			
	122.00	122.50	0.50	0.180			
	122.50	123.00	0.50	0.520			
	123.00	124.00	1.00	0.090			
	124.00	125.00	1.00	0.010			
	125.00	126.00	1.00	0.090			
	126.00	127.00	1.00	1.600			
	133.00	134.00	1.00	0.230			
	137.00	137.91	0.91	0.420			
	142.00	143.00	1.00	0.220			
	154.00	155.00	1.00	0.380			
DSDD0230	203.00	204.00	1.00	2.240	6.22 m @ 0.22 g/t Au	1.3	1.00 m @ 2.24 g/t Au
	37.50	38.00	0.50	0.430			
	83.78	85.00	1.22	0.280			
	85.00	86.00	1.00	0.130			
	86.00	87.00	1.00	0.110			

Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au	
	87.00	88.00	1.00	0.340				
	88.00	89.00	1.00	0.150				
	89.00	90.00	1.00	0.270				
	96.00	97.00	1.00	0.340	1.00 m @ 0.34 g/t Au	0.3		
	129.00	130.00	1.00	0.330	4.00 m @ 0.41 g/t Au	1.6		
	130.00	131.00	1.00	0.330				
	131.00	132.00	1.00	0.580				
	132.00	133.00	1.00	0.380				
	157.00	158.00	1.00	0.230	1.00 m @ 0.23 g/t Au	0.2		
	165.00	166.00	1.00	0.200	1.00 m @ 0.20 g/t Au	0.2		
DSDD0231	0.00	1.00	1.00	3.580	1.00 m @ 3.58 g/t Au	3.6	1.00 m @ 3.58 g/t Au	
	3.00	4.50	1.50	2.970	1.50 m @ 2.97 g/t Au	4.5	1.50 m @ 2.97 g/t Au	
	10.12	10.83	0.71	3.260	0.71 m @ 3.26 g/t Au	2.3	0.71 m @ 3.26 g/t Au	
	45.00	45.96	0.96	2.060	0.96 m @ 2.06 g/t Au	2.0	0.96 m @ 2.06 g/t Au	
	46.50	48.00	1.50	0.470	1.50 m @ 0.47 g/t Au	0.7		
	109.40	110.85	1.45	0.430	2.60 m @ 0.51 g/t Au	1.3		
	110.85	112.00	1.15	0.610				
	122.00	123.30	1.30	0.280	9.60 m @ 0.58 g/t Au	5.6		1.33 m @ 1.00 g/t Au
	123.30	124.63	1.33	1.000				
	124.63	126.00	1.37	0.520				
	126.00	127.00	1.00	0.260				
	127.00	128.00	1.00	0.410				
	128.00	129.00	1.00	0.030				
	129.00	130.15	1.15	0.100				1.45 m @ 1.63 g/t Au
	130.15	131.60	1.45	1.630			1.10 m @ 0.59 g/t Au	0.6
	135.90	137.00	1.10	0.590	5.00 m @ 0.38 g/t Au	1.9		
	141.00	142.00	1.00	0.350				
	142.00	143.10	1.10	0.030				
	143.10	144.00	0.90	0.170				
	144.00	145.00	1.00	0.990				
	145.00	146.00	1.00	0.380				
	DSDD0232	150.00	151.00	1.00	0.340	2.00 m @ 0.28 g/t Au	0.6	
		151.00	152.00	1.00	0.220			
DSDD0233	2.00	3.46	1.46	0.320	1.46 m @ 0.32 g/t Au	0.5		
	62.00	63.00	1.00	0.720	1.00 m @ 0.72 g/t Au	0.7		
	73.00	74.00	1.00	0.700	1.00 m @ 0.70 g/t Au	0.7		
	78.00	79.00	1.00	0.990	6.30 m @ 0.29 g/t Au	1.8		
	79.00	80.00	1.00	0.030				
	80.00	81.08	1.08	0.030				
	81.08	82.50	1.42	0.280				
	82.50	83.00	0.50	0.160				
	83.00	84.30	1.30	0.220				
	95.00	96.00	1.00	0.550	7.00 m @ 0.24 g/t Au	1.7		
	96.00	97.00	1.00	0.090				
	97.00	98.00	1.00	0.070				
	98.00	98.51	0.51	0.030				
	98.51	100.00	1.49	0.210				
	100.00	101.17	1.17	0.030				
	101.17	102.00	0.83	0.710				
	114.00	115.00	1.00	2.090	1.00 m @ 2.09 g/t Au	2.1	1.00 m @ 2.09 g/t Au	
	130.00	131.00	1.00	0.230	1.00 m @ 0.23 g/t Au	0.2		
	140.00	141.00	1.00	0.240	25.00 m @ 0.35 g/t Au	8.8		
	141.00	142.00	1.00	0.560				
	142.00	143.00	1.00	0.860				
	143.00	144.00	1.00	0.140				
	144.00	145.00	1.00	0.030				

Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au		
	145.00	146.00	1.00	0.150					
	146.00	147.00	1.00	0.390					
	147.00	148.00	1.00	0.200					
	148.00	149.00	1.00	0.050					
	149.00	150.00	1.00	0.430					
	150.00	151.00	1.00	0.090					
	151.00	152.00	1.00	0.270					
	152.00	153.00	1.00	0.060					
	153.00	154.00	1.00	0.160					
	154.00	155.00	1.00	1.000					
	155.00	156.00	1.00	1.140					
	156.00	157.00	1.00	0.250					
	157.00	158.00	1.00	0.890					
	158.00	159.00	1.00	0.070					
	159.00	160.00	1.00	0.040					
	160.00	161.00	1.00	0.840					
	161.00	162.00	1.00	0.350					
	162.00	163.00	1.00	0.050					
	163.00	164.00	1.00	0.210					
	164.00	165.00	1.00	0.340					
	169.00	170.00	1.00	1.210	9.00 m @ 0.31 g/t Au	2.8	2.00 m @ 1.07 g/t Au		
	170.00	171.00	1.00	0.510					
	171.00	172.00	1.00	0.040					
	172.00	173.00	1.00	0.040					
	173.00	174.00	1.00	0.220					
	174.00	175.00	1.00	0.200					
	175.00	176.00	1.00	0.080					
	176.00	177.00	1.00	0.250					
	177.00	178.00	1.00	0.260	1.00 m @ 1.21 g/t Au				
	184.00	185.00	1.00	0.310	1.00 m @ 0.31 g/t Au	0.3			
DSDD0234	12.00	13.00	1.00	0.230	2.40 m @ 0.22 g/t Au	0.5			
	13.00	14.40	1.40	0.210		0.5			
	15.00	16.00	1.00	0.270				2.00 m @ 0.26 g/t Au	0.5
	16.00	17.00	1.00	0.240	3.82 m @ 0.27 g/t Au	1.0			
	24.00	25.00	1.00	0.360					
	25.00	26.00	1.00	0.470					
	26.00	27.00	1.00	0.050					
	27.00	27.82	0.82	0.200	1.50 m @ 0.59 g/t Au	0.9			
	28.50	30.00	1.50	0.590					
	32.00	33.44	1.44	0.650	1.44 m @ 0.65 g/t Au	0.9			
	37.00	38.00	1.00	0.840	4.00 m @ 1.31 g/t Au	5.2			
	38.00	39.00	1.00	0.100					
	39.00	40.00	1.00	0.380					
	40.00	41.00	1.00	3.910				1.00 m @ 3.91 g/t Au	
	45.00	46.00	1.00	0.220	1.00 m @ 0.22 g/t Au	0.2			
	50.00	51.00	1.00	0.440	1.00 m @ 0.44 g/t Au	0.4			
	54.00	55.00	1.00	0.260	1.00 m @ 0.26 g/t Au	0.3			
	57.00	58.00	1.00	0.310	5.00 m @ 0.21 g/t Au	1.0			
	58.00	59.00	1.00	0.130					
	59.00	60.00	1.00	0.020					
	60.00	61.00	1.00	0.140					
	61.00	62.00	1.00	0.430					
DSDD0235	1.00	2.00	1.00	0.200	1.00 m @ 0.20 g/t Au	0.2			
	6.00	7.00	1.00	0.260	7.10 m @ 0.91 g/t Au	6.4			
	7.00	8.00	1.00	0.130					
	8.00	9.00	1.00	0.060					

Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au	
	9.00	10.00	1.00	0.410			2.00 m @ 2.67 g/t Au	
	10.00	11.00	1.00	2.790				
	11.00	12.00	1.00	2.540				
	12.00	13.10	1.10	0.230				
	17.69	18.68	0.99	1.290	0.99 m @ 1.29 g/t Au	1.3	0.99 m @ 1.29 g/t Au	
	26.43	27.37	0.94	0.210	0.94 m @ 0.21 g/t Au	0.2		
	31.50	33.00	1.50	0.810	1.50 m @ 0.81 g/t Au	1.2		
	44.00	45.50	1.50	0.360	1.50 m @ 0.36 g/t Au	0.5		
	69.75	71.00	1.25	0.420	9.25 m @ 1.42 g/t Au	13.2	2.00 m @ 5.71 g/t Au	
	71.00	72.00	1.00	0.140				
	72.00	73.00	1.00	9.690				
	73.00	74.00	1.00	1.730				
	74.00	75.00	1.00	0.290				
	75.00	76.00	1.00	0.400				
	76.00	77.00	1.00	0.050				
	77.00	78.00	1.00	0.030				
	78.00	79.00	1.00	0.310				
	89.00	90.00	1.00	0.490				3.00 m @ 0.39 g/t Au
	90.00	91.00	1.00	0.320				
	91.00	92.00	1.00	0.360				
	96.00	97.00	1.00	0.270	2.00 m @ 0.28 g/t Au	0.6		
	97.00	98.00	1.00	0.300	1.00 m @ 0.26 g/t Au	0.3		
	100.00	101.00	1.00	0.260				
	117.00	118.00	1.00	0.210			3.00 m @ 0.21 g/t Au	0.6
	118.00	119.00	1.00	0.050				
	119.00	120.00	1.00	0.360				
	308.00	309.00	1.00	0.240	13.00 m @ 0.38 g/t Au	5.0	1.00 m @ 1.85 g/t Au	
	309.00	310.00	1.00	1.850				
	310.00	311.00	1.00	0.240				
	311.00	312.00	1.00	0.010			1.00 m @ 1.05 g/t Au	
	312.00	313.00	1.00	0.040				
	313.00	314.00	1.00	0.030				
	314.00	315.00	1.00	1.050				
	315.00	316.00	1.00	0.010				
	316.00	317.00	1.00	0.500				
	317.00	318.00	1.00	0.160				
	318.00	319.00	1.00	0.450				
	319.00	320.00	1.00	0.060				
	320.00	321.00	1.00	0.360				
	325.00	326.00	1.00	2.090	14.00 m @ 1.07 g/t Au	15.0	3.00 m @ 1.18 g/t Au	
	326.00	327.00	1.00	0.030				
	327.00	328.00	1.00	1.410				
	328.00	329.00	1.00	0.270				
	329.00	330.00	1.00	0.880				
	330.00	331.00	1.00	0.010				
	331.00	332.00	1.00	0.010				
	332.00	333.00	1.00	0.930				
	333.00	334.00	1.00	0.770				
	334.00	335.00	1.00	0.030				
	335.00	336.00	1.00	0.420				
	336.00	337.00	1.00	7.490			1.00 m @ 7.49 g/t Au	
	337.00	338.00	1.00	0.030				
	338.00	339.00	1.00	0.670				
	347.00	348.00	1.00	1.070	16.00 m @ 1.79 g/t Au	28.6		4.00 m @ 6.36 g/t Au
	348.00	349.00	1.00	0.490				
	349.00	350.00	1.00	0.430				

Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
	350.00	351.00	1.00	23.440			
	351.00	352.00	1.00	0.270			
	352.00	353.00	1.00	0.340			
	353.00	354.15	1.15	0.700			
	354.15	355.00	0.85	0.290			
	355.00	356.00	1.00	0.220			
	356.00	357.00	1.00	0.130			
	357.00	358.00	1.00	0.110			
	358.00	359.00	1.00	0.150			
	359.00	360.00	1.00	0.230			
	360.00	361.00	1.00	0.090			
	361.00	362.00	1.00	0.220			
	362.00	363.00	1.00	0.350			
	384.00	385.00	1.00	0.610	17.00 m @ 0.48 g/t Au	8.1	
	385.00	386.00	1.00	0.190			
	386.00	387.00	1.00	0.270			
	387.00	388.00	1.00	0.710			
	388.00	389.00	1.00	0.350			
	389.00	390.00	1.00	0.180			
	390.00	391.00	1.00	0.030			
	391.00	392.00	1.00	0.400			
	392.00	393.00	1.00	0.490			
	393.00	394.00	1.00	0.420			
	394.00	395.00	1.00	0.140			
	395.00	396.00	1.00	0.160			
	396.00	397.00	1.00	0.160			
	397.00	398.00	1.00	2.850			1.00 m @ 2.85 g/t Au
	398.00	399.00	1.00	0.400			
	399.00	400.00	1.00	0.340			
	400.00	401.00	1.00	0.410	2.00 m @ 1.29 g/t Au	2.6	1.00 m @ 2.17 g/t Au
	414.00	415.00	1.00	0.420			
	415.00	416.00	1.00	2.170	43.00 m @ 0.42 g/t Au	18.2	
	429.00	430.00	1.00	0.680			
	430.00	431.00	1.00	0.570			
	431.00	432.00	1.00	0.060			
	432.00	433.00	1.00	0.150			
	433.00	434.00	1.00	0.360			
	434.00	435.00	1.00	0.050			
	435.00	436.00	1.00	0.040			
	436.00	437.00	1.00	0.580			
	437.00	438.00	1.00	1.070			
	438.00	439.00	1.00	1.950			2.00 m @ 1.51 g/t Au
	439.00	440.00	1.00	0.640			
	440.00	441.00	1.00	0.360			
	441.00	442.00	1.00	0.140			
	442.00	443.00	1.00	0.150			
	443.00	444.00	1.00	0.120			
	444.00	445.00	1.00	0.560			
	445.00	446.00	1.00	0.940			
	446.00	447.00	1.00	0.570			
	447.00	448.00	1.00	0.210			
	448.00	449.00	1.00	0.900			
	449.00	450.00	1.00	0.360			
	450.00	451.00	1.00	0.110			
	451.00	452.00	1.00	0.380			
	452.00	453.00	1.00	0.320			

Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au	
	453.00	454.00	1.00	0.190				
	454.00	455.00	1.00	0.310				
	455.00	456.00	1.00	0.200				
	456.00	457.00	1.00	0.170				
	457.00	458.00	1.00	0.060				
	458.00	459.00	1.00	0.080				
	459.00	460.00	1.00	0.230				
	460.00	461.00	1.00	0.170				
	461.00	462.00	1.00	0.420				
	462.00	463.00	1.00	0.210				
	463.00	464.00	1.00	0.330				
	464.00	465.00	1.00	1.000				
	465.00	466.00	1.00	2.410				
	466.00	467.00	1.00	0.110				
	467.00	468.00	1.00	0.120				
	468.00	469.00	1.00	0.210				
	469.00	470.00	1.00	0.040				
	470.00	471.00	1.00	0.310				
	471.00	472.00	1.00	0.400				
	476.00	477.00	1.00	0.250				13.70 m @ 0.38 g/t Au
	477.00	478.00	1.00	0.560				
	478.00	479.00	1.00	0.250				
	479.00	480.00	1.00	0.380				
	480.00	481.00	1.00	0.570				
	481.00	482.00	1.00	0.330				
	482.00	483.00	1.00	0.310				
	483.00	484.00	1.00	0.500				
	484.00	485.00	1.00	0.470				
	485.00	486.00	1.00	0.770				
	486.00	487.00	1.00	0.150				
	487.00	488.00	1.00	0.100				
	488.00	489.00	1.00	0.120				
	489.00	489.70	0.70	0.720				
DSDD0236	8.47	9.41	0.94	0.260	0.94 m @ 0.26 g/t Au	0.2		
	11.62	12.20	0.58	0.340	0.58 m @ 0.34 g/t Au	0.2		
	21.00	22.08	1.08	0.250	1.08 m @ 0.25 g/t Au	0.3		
	70.00	71.00	1.00	0.260	3.08 m @ 0.60 g/t Au	1.9		1.00 m @ 1.12 g/t Au
	71.00	72.00	1.00	1.120				
	72.00	73.08	1.08	0.440				
	81.00	82.00	1.00	0.240	2.00 m @ 0.27 g/t Au	0.5		
	82.00	83.00	1.00	0.290				
	95.00	96.00	1.00	0.230	1.00 m @ 0.23 g/t Au	0.2		
	98.00	99.00	1.00	0.200	1.00 m @ 0.20 g/t Au	0.2		
	104.00	105.00	1.00	0.280	2.00 m @ 0.38 g/t Au	0.8		
	105.00	106.00	1.00	0.480				
	118.00	119.00	1.00	0.360	9.00 m @ 0.34 g/t Au	3.1		
	119.00	120.00	1.00	0.010				
	120.00	121.00	1.00	0.010				
	121.00	122.00	1.00	0.020				
	122.00	123.00	1.00	0.230				
	123.00	124.00	1.00	0.200				
	124.00	125.00	1.00	0.860				
	125.00	125.83	0.83	0.200				
	125.83	127.00	1.17	1.030	4.00 m @ 0.51 g/t Au	2.1		1.17 m @ 1.03 g/t Au
	134.20	135.50	1.30	0.300				
	135.50	136.80	1.30	0.880				

Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au		
	136.80	138.20	1.40	0.370	7.50 m @ 0.42 g/t Au	3.2			
	141.50	142.21	0.71	0.950					
	142.21	143.00	0.79	0.040					
	143.00	144.00	1.00	0.920					
	144.00	145.00	1.00	0.010					
	145.00	146.00	1.00	0.040					
	146.00	146.67	0.67	0.060					
	146.67	147.91	1.24	0.660					
	147.91	149.00	1.09	0.590					
	153.00	154.37	1.37	0.620	6.00 m @ 0.55 g/t Au	3.3			
	154.37	155.00	0.63	0.050					
	155.00	156.30	1.30	0.340					
	156.30	157.00	0.70	0.970					
	157.00	158.00	1.00	0.200					
	158.00	159.00	1.00	1.100					
	163.00	164.00	1.00	1.680	4.00 m @ 1.09 g/t Au	4.4			
	164.00	165.00	1.00	0.180					
	165.00	166.00	1.00	0.520					
166.00	167.00	1.00	1.980						
DSDD0237	22.50	23.50	1.00	0.270	1.00 m @ 0.27 g/t Au	0.3			
	51.31	52.25	0.94	0.470	26.91 m @ 0.47 g/t Au	12.7			
	52.25	53.60	1.35	0.260					
	53.60	55.00	1.40	0.190					
	55.00	56.00	1.00	0.690					
	56.00	57.00	1.00	0.320					
	57.00	58.00	1.00	0.260					
	58.00	59.00	1.00	0.210					
	59.00	60.00	1.00	0.030					
	60.00	61.00	1.00	0.330					
	61.00	62.00	1.00	0.450					
	62.00	63.00	1.00	0.510					
	63.00	64.00	1.00	1.050					
	64.00	65.00	1.00	0.100					
	65.00	66.00	1.00	0.230					
	66.00	67.00	1.00	0.320					
	67.00	68.00	1.00	0.310					
	68.00	69.00	1.00	0.300					
	69.00	70.00	1.00	0.340					
	70.00	71.00	1.00	0.080					
	71.00	72.00	1.00	3.280					
	72.00	73.00	1.00	0.190					
	73.00	74.00	1.00	0.090					
	74.00	75.00	1.00	0.040					
	75.00	76.00	1.00	1.130					
	76.00	77.00	1.00	0.470					
	77.00	78.22	1.22	0.730					
	85.00	86.00	1.00	8.130	1.00 m @ 8.13 g/t Au	8.1		1.00 m @ 8.13 g/t Au	
	90.20	91.43	1.23	0.220	1.23 m @ 0.22 g/t Au	0.3			
	97.00	98.00	1.00	3.210	1.00 m @ 3.21 g/t Au	3.2		1.00 m @ 3.21 g/t Au	
	142.00	143.00	1.00	0.280	1.00 m @ 0.28 g/t Au	0.3			
	170.00	171.00	1.00	0.310	1.00 m @ 0.31 g/t Au	0.3			
	176.00	177.00	1.00	0.200	1.00 m @ 0.20 g/t Au	0.2			
	187.00	188.00	1.00	0.320	1.00 m @ 0.32 g/t Au	0.3			
	DSDD0238A	67.00	68.00	1.00	0.290	1.00 m @ 0.29 g/t Au			0.3
	DSDD0240	141.00	142.00	1.00	0.270	1.00 m @ 0.27 g/t Au		0.3	
148.00		149.00	1.00	8.880	5.00 m @ 2.46 g/t Au	12.3	1.00 m @ 8.88 g/t Au		

Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
	149.00	150.00	1.00	0.770			1.00 m @ 2.54 g/t Au
	150.00	151.00	1.00	0.070			
	151.00	152.00	1.00	0.040			
	152.00	153.00	1.00	2.540			
	158.00	159.00	1.00	0.220	7.00 m @ 0.21 g/t Au	1.5	
	159.00	160.00	1.00	0.260			
	160.00	161.00	1.00	0.020			
	161.00	162.00	1.00	0.450			
	162.00	163.00	1.00	0.110			
	163.00	164.30	1.30	0.130			
	164.30	165.00	0.70	0.390			
	172.00	173.00	1.00	0.660			
	173.00	174.00	1.00	0.160	4.00 m @ 0.60 g/t Au	2.4	
	174.00	175.00	1.00	0.350			
	175.00	176.00	1.00	1.240			
	214.00	215.00	1.00	0.590			
	215.00	216.00	1.00	14.160	6.00 m @ 2.53 g/t Au	15.2	
	216.00	217.00	1.00	0.070			
	217.00	218.00	1.00	0.020			
	218.00	219.00	1.00	0.010			
	219.00	220.00	1.00	0.350			
	232.00	233.00	1.00	0.580	9.00 m @ 0.35 g/t Au	3.2	
	233.00	234.00	1.00	0.260			
	234.00	235.00	1.00	0.970			
	235.00	236.00	1.00	0.220			
	236.00	237.00	1.00	0.220			
	237.00	238.00	1.00	0.210			
	238.00	239.00	1.00	0.420			
	239.00	240.00	1.00	0.070			
	240.00	241.00	1.00	0.200			
	248.00	249.00	1.00	0.210	1.00 m @ 0.21 g/t Au	0.2	
	264.00	265.00	1.00	0.380	2.00 m @ 0.34 g/t Au	0.7	
	265.00	266.00	1.00	0.300	2.00 m @ 22.86 g/t Au	45.7	2.00 m @ 22.86 g/t Au
	297.00	298.00	1.00	41.740			
	298.00	299.00	1.00	3.980	11.00 m @ 0.69 g/t Au	7.6	1.00 m @ 4.16 g/t Au
	303.00	304.00	1.00	0.730			
	304.00	305.00	1.00	0.320			
	305.00	306.00	1.00	4.160			
	306.00	307.10	1.10	0.790			
	307.10	308.00	0.90	0.140			
	308.00	309.00	1.00	0.200			
	309.00	310.00	1.00	0.200			
	310.00	311.00	1.00	0.220			
	311.00	312.00	1.00	0.240			
	312.00	313.00	1.00	0.250			
	313.00	314.00	1.00	0.300			
DSDD0241	5.00	6.00	1.00	0.430	4.00 m @ 0.61 g/t Au	2.5	
	6.00	7.00	1.00	0.850			
	7.00	8.00	1.00	0.800			
	8.00	9.00	1.00	0.380			
DSDD0242	125.00	126.00	1.00	7.150	2.00 m @ 7.87 g/t Au	15.7	2.00 m @ 7.87 g/t Au
	126.00	127.00	1.00	8.580			
DSDD0243	5.30	6.00	0.70	3.450	0.70 m @ 3.45 g/t Au	2.4	0.70 m @ 3.45 g/t Au
	190.85	191.50	0.65	0.410	18.15 m @ 0.80 g/t Au	14.5	
	191.50	192.00	0.50	0.490			
	192.00	193.00	1.00	0.260			

Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au	
	193.00	194.00	1.00	0.400				
	194.00	195.00	1.00	0.210				
	195.00	196.00	1.00	0.150				
	196.00	197.00	1.00	0.260				
	197.00	198.00	1.00	0.440				
	198.00	199.00	1.00	0.300				
	199.00	200.00	1.00	0.140				
	200.00	201.00	1.00	8.460				
	201.00	202.00	1.00	0.320				
	202.00	203.00	1.00	0.300				
	203.00	204.00	1.00	1.050				
	204.00	205.00	1.00	0.280				
	205.00	206.00	1.00	0.300				
	206.00	207.00	1.00	0.330				
	207.00	208.00	1.00	0.040				
	208.00	209.00	1.00	0.710				
	232.00	233.00	1.00	0.380				
	233.00	234.00	1.00	0.270				2.00 m @ 0.33 g/t Au
DSDD0244A	70.00	71.00	1.00	0.270	4.00 m @ 0.21 g/t Au	0.9		
	71.00	72.00	1.00	0.090				
	72.00	73.00	1.00	0.190				
	73.00	74.00	1.00	0.310				
	DSDD0245	67.00	68.00	1.00			0.520	1.00 m @ 0.52 g/t Au
DSDD0246	4.30	5.60	1.30	0.270	1.30 m @ 0.27 g/t Au	0.4		
	54.00	55.00	1.00	0.220	2.00 m @ 0.24 g/t Au	0.5		
	55.00	56.00	1.00	0.260				
	96.00	97.00	1.00	0.200	1.00 m @ 0.20 g/t Au	0.2		
	120.00	121.00	1.00	0.960	2.00 m @ 0.80 g/t Au	1.6		
	121.00	122.00	1.00	0.640				
	139.00	140.00	1.00	0.390	4.00 m @ 0.36 g/t Au	1.5		
	140.00	141.00	1.00	0.030				
	141.00	142.00	1.00	0.030				
	142.00	143.00	1.00	1.010				
	147.00	148.00	1.00	2.070	2.00 m @ 1.14 g/t Au	2.3		1.00 m @ 1.01 g/t Au
	148.00	149.00	1.00	0.200			1.00 m @ 2.07 g/t Au	
DSDD0247	10.00	11.00	1.00	0.550	1.00 m @ 0.55 g/t Au	0.6		
	16.00	17.00	1.00	0.550	10.00 m @ 0.33 g/t Au	3.3		
	17.00	18.00	1.00	0.110				
	18.00	19.00	1.00	0.060				
	19.00	20.00	1.00	0.250				
	20.00	21.00	1.00	0.510				
	21.00	22.00	1.00	0.070				
	22.00	23.00	1.00	0.250				
	23.00	24.00	1.00	0.060				
	24.00	25.00	1.00	0.670				
	25.00	26.00	1.00	0.810				
	28.41	29.00	0.59	0.250	1.26 m @ 0.55 g/t Au	0.7		
	29.00	29.67	0.67	0.820				
	31.00	32.00	1.00	0.290	1.00 m @ 0.29 g/t Au	0.3		
	38.50	39.00	0.50	0.340	0.50 m @ 0.34 g/t Au	0.2		
	112.00	113.00	1.00	0.550	5.00 m @ 0.22 g/t Au	1.1		
	113.00	114.00	1.00	0.040				
	114.00	115.00	1.00	0.050				
	115.00	116.00	1.00	0.260				
	116.00	117.00	1.00	0.200				
	211.00	212.00	1.00	0.990				7.00 m @ 0.39 g/t Au

Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au	
	212.00	213.00	1.00	0.080				
	213.00	214.00	1.00	0.010				
	214.00	215.00	1.00	0.100				
	215.00	216.00	1.00	0.300				
	216.00	217.00	1.00	0.300				
	217.00	218.00	1.00	0.940				
DSDD0248	7.00	8.00	1.00	0.960	1.00 m @ 0.96 g/t Au	1.0		
	37.00	38.00	1.00	0.430	2.00 m @ 0.42 g/t Au	0.9		
	38.00	39.00	1.00	0.420				
	118.00	119.00	1.00	0.270	1.00 m @ 0.27 g/t Au	0.3		
	126.55	128.00	1.45	0.380	1.45 m @ 0.38 g/t Au	0.6		
	135.00	136.00	1.00	0.320	1.00 m @ 0.32 g/t Au	0.3		
	167.00	168.00	1.00	1.020	2.00 m @ 0.83 g/t Au	1.7		1.00 m @ 1.02 g/t Au
	168.00	169.00	1.00	0.650				
DSDD0249	86.00	87.00	1.00	0.820	1.00 m @ 0.82 g/t Au	0.8		

Table 3: Drill Collar Information for the BST tenement

Hole ID	UTM East	UTM North	Elevation (m)	Depth (m)	Azi deg	Dip deg	Deposit	Type
BSDD0001	784,562	1,035,007	431	269.30	90	-60	BST1	DD
BSDD0002	784,505	1,035,516	406	154.00	90	-55	BST1	DD
BSDD0003	784,585	1,035,515	408	150.40	90	-55	BST1	DD
BSDD0004	784,594	1,035,688	408	150.50	90	-55	BST1	DD
BSDD0005	784,636	1,035,882	411	150.10	90	-55	BST1	DD
BSDD0006	784,577	1,036,013	412	150.00	90	-55	BST1	DD
BSDD0007	784,586	1,035,882	410	237.60	90	-55	BST1	DD
BSDD0008	784,647	1,035,688	408	122.00	90	-55	BST1	DD
BSDD0009	784,648	1,035,797	410	165.30	90	-55	BST1	DD
BSDD0010	784,543	1,035,689	410	245.40	90	-55	BST1	DD
BSDD0011	784,610	1,035,300	411	160.90	90	-55	BST1	DD
BSDD0012	784,623	1,035,500	410	213.65	90	-55	BST1	DD
BSDD0013	784,627	1,035,261	411	166.40	90	-55	BST1	DD
BSDD0014	784,605	1,035,399	411	164.10	90	-55	BST1	DD
14 holes				2,499.65m			BST1	DD

Table 4: Significant assay results for holes reported in this release from BST tenement¹⁸

Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au	
BSDD0001	0.00	1.07	1.07	0.236	1.92 m @ 0.23 g/t Au	0.4		
	1.07	1.92	0.85	0.223				
	10.38	11.00	0.62	0.527				
	64.00	65.00	1.00	0.270				
	84.00	85.00	1.00	0.770	2.00 m @ 0.57 g/t Au	1.1		
	85.00	86.00	1.00	0.374				
	112.00	113.00	1.00	0.352	1.00 m @ 0.35 g/t Au	0.4		
	154.00	155.00	1.00	0.693	2.00 m @ 1.03 g/t Au	2.1		
	155.00	156.00	1.00	1.377		1.00 m @ 1.38 g/t Au		
	171.00	172.00	1.00	0.276	1.00 m @ 0.28 g/t Au	0.3		
	185.00	186.00	1.00	0.404	4.00 m @ 0.99 g/t Au	4.0		
	186.00	187.00	1.00	0.019				
	187.00	188.00	1.00	3.037		1.00 m @ 3.04 g/t Au		
	188.00	189.00	1.00	0.501		3.00 m @ 4.34 g/t Au	13.0	
	213.00	214.00	1.00	0.333				
	214.00	215.00	1.00	0.462				
	215.00	216.00	1.00	12.230	1.00 m @ 12.23 g/t Au			
	221.00	222.00	1.00	0.323	1.00 m @ 0.32 g/t Au	0.3		
	224.00	225.00	1.00	0.210	8.00 m @ 2.81 g/t Au	22.5		
	225.00	226.50	1.50	0.034				
	226.50	227.00	0.50	0.025				
	227.00	228.00	1.00	15.967		1.00 m @ 15.97 g/t Au		
	228.00	229.00	1.00	0.008				
	229.00	230.00	1.00	0.583				
	230.00	231.00	1.00	0.331				
	231.00	232.00	1.00	5.344		1.00 m @ 5.34 g/t Au		
	235.00	236.00	1.00	0.402	1.00 m @ 0.40 g/t Au	0.4		
	248.00	249.00	1.00	2.717	5.00 m @ 0.89 g/t Au	4.4	3.00 m @ 1.30 g/t Au	
	249.00	250.00	1.00	0.045				
	250.00	251.00	1.00	1.137				
	251.00	252.00	1.00	0.173				
	252.00	253.00	1.00	0.370	1.00 m @ 0.85 g/t Au	0.8		
	259.00	260.00	1.00	0.846				
	267.00	268.00	1.00	0.855		0.9		
BSDD0002	0.00	1.00	1.00	0.460	1.00 m @ 0.46 g/t Au	0.5		
	17.00	18.00	1.00	0.240	1.00 m @ 0.24 g/t Au	0.2		
	146.00	147.00	1.00	0.230	1.00 m @ 0.23 g/t Au	0.2		
BSDD0003	3.00	4.00	1.00	1.260	1.00 m @ 1.26 g/t Au	1.3	1.00 m @ 1.26 g/t Au	
	19.00	20.19	1.19	0.710	1.19 m @ 0.71 g/t Au	0.8		
	46.00	47.00	1.00	0.380	1.00 m @ 0.38 g/t Au	0.4		
	52.00	53.00	1.00	0.340	1.00 m @ 0.34 g/t Au	0.3		
	87.00	88.00	1.00	0.220	1.00 m @ 0.22 g/t Au	0.2		
	91.00	92.00	1.00	0.360	18.25 m @ 0.40 g/t Au	7.2		
	92.00	93.25	1.25	0.030				
	93.25	94.00	0.75	0.030				
	94.00	95.00	1.00	0.660				
	95.00	96.00	1.00	0.020				
	96.00	96.80	0.80	0.350				
	96.80	97.50	0.70	0.220				
	97.50	98.00	0.50	0.005				

¹⁸ 0.2 g/t Au cut off used with 3m internal dilution and no top cut applied

Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au	
	98.00	99.00	1.00	0.340				
	99.00	100.00	1.00	0.180				
	100.00	101.00	1.00	0.730				
	101.00	102.00	1.00	0.290				
	102.00	103.00	1.00	0.240				
	103.00	104.00	1.00	0.020				
	104.00	105.00	1.00	0.550				
	105.00	106.00	1.00	0.040				
	106.00	107.00	1.00	0.210				
	107.00	108.00	1.00	1.380				
	108.00	109.25	1.25	1.380			2.25 m @ 1.38 g/t Au	
	114.00	115.00	1.00	1.600	1.00 m @ 1.60 g/t Au	1.6		
	132.00	133.00	1.00	0.280	1.00 m @ 0.28 g/t Au	0.3		
	136.00	137.00	1.00	0.550	3.00 m @ 0.71 g/t Au	2.1		
137.00	138.00	1.00	0.740					
138.00	139.00	1.00	0.840					
146.00	147.00	1.00	0.230	1.00 m @ 0.23 g/t Au	0.2			
BSDD0004	45.00	46.00	1.00	0.498	1.00 m @ 0.50 g/t Au	0.5		
	69.00	70.00	1.00	0.262	4.00 m @ 0.25 g/t Au	1.0		
	70.00	71.00	1.00	0.033				
	71.00	72.00	1.00	0.018				
	72.00	73.00	1.00	0.693				
	112.00	113.00	1.00	1.433	11.00 m @ 3.31 g/t Au	36.4	3.00 m @ 8.66 g/t Au	
	113.00	114.00	1.00	4.705				
	114.00	115.00	1.00	19.846			4.00 m @ 2.35 g/t Au	
	115.00	116.00	1.00	0.194				
	116.00	117.00	1.00	1.121				
	117.00	118.00	1.00	0.412				
	118.00	119.00	1.00	0.046				
	119.00	120.00	1.00	7.821				
	120.00	121.00	1.00	0.160				
	121.00	122.00	1.00	0.233				
	122.00	123.00	1.00	0.433	10.00 m @ 0.66 g/t Au	6.6		
	126.00	127.00	1.00	0.713		1.00 m @ 0.71 g/t Au	0.7	
	133.00	134.00	1.00	0.217			1.00 m @ 1.07 g/t Au	
	134.00	135.00	1.00	1.075			1.95 m @ 1.83 g/t Au	
	135.00	136.00	1.00	0.161				
	136.00	137.00	1.00	0.123				
	137.00	138.40	1.40	0.548				
	138.40	139.00	0.60	1.728				
	139.00	140.35	1.35	1.881				
	140.35	141.00	0.65	0.329				
	141.00	142.00	1.00	0.079				
	142.00	143.00	1.00	0.398				
	148.00	149.00	1.00	0.204	1.00 m @ 0.20 g/t Au	0.2		
	BSDD0005	115.50	116.00	0.50	0.296	0.50 m @ 0.30 g/t Au	0.1	
		119.00	120.19	1.19	0.811	1.19 m @ 0.81 g/t Au	1.0	
	BSDD0006	62.00	63.00	1.00	0.330	1.00 m @ 0.33 g/t Au	0.3	
BSDD0007	179.00	180.00	1.00	0.700	4.00 m @ 0.31 g/t Au	1.2		
	180.00	181.00	1.00	0.230				
	181.00	182.00	1.00	0.090				
	182.00	183.00	1.00	0.210				
	195.00	196.00	1.00	1.500	1.00 m @ 1.50 g/t Au	1.5	1.00 m @ 1.50 g/t Au	
	208.00	209.00	1.00	1.620	1.00 m @ 1.62 g/t Au	1.6	1.00 m @ 1.62 g/t Au	
	216.00	217.00	1.00	0.520	2.00 m @ 0.71 g/t Au	1.4		
217.00	218.00	1.00	0.900					

Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au	
	222.00	223.00	1.00	4.820	1.00 m @ 4.82 g/t Au	4.8	1.00 m @ 4.82 g/t Au	
	227.00	228.00	1.00	2.400	1.00 m @ 2.40 g/t Au	2.4	1.00 m @ 2.40 g/t Au	
BSDD0008	0.00	122.00	122.00		NSI			
BSDD0009	21.00	22.00	1.00	0.383	1.00 m @ 0.38 g/t Au	0.4		
	71.00	72.00	1.00	0.519	1.00 m @ 0.52 g/t Au	0.5		
	121.00	122.00	1.00	2.562	1.00 m @ 2.56 g/t Au	2.6		1.00 m @ 2.56 g/t Au
BSDD0010	195.00	196.00	1.00	0.238	1.00 m @ 0.24 g/t Au	0.2		
	219.00	220.00	1.00	1.288	4.00 m @ 3.17 g/t Au	12.7		4.00 m @ 3.17 g/t Au
	220.00	221.00	1.00	0.008				
	221.00	222.00	1.00	4.842				
	222.00	223.00	1.00	6.562				
	228.00	229.00	1.00	0.213	6.00 m @ 0.43 g/t Au	2.6		
	229.00	230.00	1.00	1.016				
	230.00	231.00	1.00	0.008				
	231.00	232.00	1.00	0.070				
	232.00	233.00	1.00	0.200				
	233.00	234.00	1.00	1.073		1.00 m @ 1.02 g/t Au		
BSDD0011	0.00	1.50	1.50	3.275	1.50 m @ 3.27 g/t Au	4.9	1.50 m @ 3.27 g/t Au	
	10.50	12.00	1.50	0.282	2.00 m @ 0.28 g/t Au	0.6		
	12.00	12.50	0.50	0.283	0.63 m @ 0.43 g/t Au	0.3		
	15.87	16.50	0.63	0.429	2.79 m @ 0.33 g/t Au	0.9		
	124.83	126.00	1.17	0.218				
	126.00	127.00	1.00	0.418				
	127.00	127.62	0.62	0.406				
	135.00	136.00	1.00	0.741	3.00 m @ 0.53 g/t Au	1.6		
	136.00	137.00	1.00	0.104				
	137.00	138.00	1.00	0.749				
	141.00	142.00	1.00	0.283	2.00 m @ 0.38 g/t Au	0.8		
	142.00	143.00	1.00	0.485	1.00 m @ 0.55 g/t Au	0.6		
	148.00	149.00	1.00	0.554	2.00 m @ 2.22 g/t Au	4.4		1.40 m @ 3.02 g/t Au
	152.00	153.40	1.40	3.025				
	153.40	154.00	0.60	0.357				
BSDD0012	164.00	165.00	1.00	0.204	1.00 m @ 0.20 g/t Au	0.2		
	168.00	169.00	1.00	0.219	2.00 m @ 0.46 g/t Au	0.9		
	169.00	170.00	1.00	0.698				
	174.00	175.00	1.00	0.291	6.00 m @ 0.70 g/t Au	4.2		1.00 m @ 2.53 g/t Au
	175.00	176.00	1.00	0.122				
	176.00	177.00	1.00	2.534				
	177.00	177.73	0.73	0.246				
	177.73	179.00	1.27	0.100				
	179.00	180.00	1.00	0.945				
BSDD0013	11.50	12.70	1.20	0.249	1.20 m @ 0.25 g/t Au	0.3		
	83.00	84.00	1.00	0.816	5.00 m @ 0.95 g/t Au	4.8		
	84.00	85.00	1.00	0.729				
	85.00	86.00	1.00	1.134				
	86.00	87.00	1.00	1.651				
	87.00	88.00	1.00	0.427				
	120.00	121.00	1.00	0.702	3.00 m @ 2.21 g/t Au	6.6		2.00 m @ 2.96 g/t Au
	121.00	122.00	1.00	1.234				
	122.00	123.00	1.00	4.686				
	127.00	128.00	1.00	0.235	7.00 m @ 0.25 g/t Au	1.8		
	128.00	129.00	1.00	0.549				
	129.00	130.00	1.00	0.030				
	130.00	131.00	1.00	0.008				
	131.00	132.00	1.00	0.242				
	132.00	133.00	1.00	0.254				

Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
	133.00	134.00	1.00	0.444	9.00 m @ 1.04 g/t Au	9.4	1.00 m @ 6.40 g/t Au
	137.00	138.00	1.00	6.397			
	138.00	139.00	1.00	0.355			
	139.00	140.00	1.00	0.471			
	140.00	141.00	1.00	0.601			
	141.00	142.00	1.00	0.410			
	142.00	143.00	1.00	0.243			
	143.00	144.00	1.00	0.250			
	144.00	145.00	1.00	0.384			
	145.00	146.00	1.00	0.260			
BSDD0014	8.00	9.00	1.00	0.280	2.00 m @ 0.28 g/t Au	0.6	
	9.00	10.00	1.00	0.285			
	24.00	25.50	1.50	3.226	1.50 m @ 3.23 g/t Au	4.8	1.50 m @ 3.23 g/t Au
	30.00	31.50	1.50	1.213	1.50 m @ 1.21 g/t Au	1.8	1.50 m @ 1.21 g/t Au
	67.00	68.00	1.00	0.531	1.00 m @ 0.53 g/t Au	0.5	
	73.00	74.00	1.00	0.333	1.00 m @ 0.33 g/t Au	0.3	
	75.00	76.00	1.00	0.212	1.00 m @ 0.21 g/t Au	0.2	
	88.00	89.00	1.00	0.653	3.00 m @ 0.35 g/t Au	1.0	
	89.00	90.00	1.00	0.020			
	90.00	91.00	1.00	0.367			
	101.00	102.00	1.00	0.557	3.00 m @ 2.04 g/t Au	6.1	1.00 m @ 5.07 g/t Au
	102.00	103.00	1.00	5.073			
	103.00	104.00	1.00	0.497			
	114.00	115.00	1.00	0.727	7.00 m @ 0.28 g/t Au	2.0	
	115.00	116.00	1.00	0.262			
	116.00	117.00	1.00	0.151			
	117.00	118.00	1.00	0.364			
	118.00	119.00	1.00	0.049			
	119.00	120.00	1.00	0.101			
	120.00	121.00	1.00	0.327			
	145.00	146.00	1.00	0.224	1.00 m @ 0.22 g/t Au	0.2	

About Aurum

Aurum Resources (ASX:AUE) is an Australian based gold exploration company focused on discovery and development of major gold projects in Côte d'Ivoire, West Africa. Aurum has 2.47Moz gold resources coming from two gold projects, the 1.6Moz Boundiali Gold Project and the 0.87Moz Napié Gold Project. Aurum owns and runs eight (8) diamond drill rigs allowing it to explore faster and more cost effectively than its peers.

Statement of Boundiali Mineral Resources by Deposit as at 29 December 2024. Reported at 0.5 g/t Au cut off within pit shells; and 1.0 g/t Au cut off below the pit shells¹⁹

Area	Class	Oxide			Transition			Fresh			Total		
		Quantity (Mt)	Au (g/t)	Au (Oz)	Quantity (Mt)	Au (g/t)	Au (KOz)	Quantity (Mt)	Au (g/t)	Au (KOz)	Quantity (Mt)	Au (g/t)	Au (KOz)
BST	Indicated	0.8	1.1	30,000	0.7	1.2	30,000	2.4	1.0	80,000	3.9	1.1	130,000
	Inferred	0.6	1.0	20,000	1.3	1.0	40,000	5.1	1.0	160,000	7.1	1.0	220,000
	Sub Total	1.4	1.1	50,000	2.0	1.0	70,000	7.6	1.0	240,000	11.0	1.0	360,000
BDT1	Indicated												
	Inferred	0.8	0.9	20,000	0.3	0.9	10,000	10.8	0.9	310,000	11.9	0.9	340,000
	Sub Total	0.8	0.9	20,000	0.3	0.9	10,000	10.8	0.9	310,000	11.9	0.9	340,000
BDT2	Indicated												
	Inferred	0.1	0.8	3,000	2.1	0.8	60,000	14.1	0.8	380,000	16.3	0.8	440,000
	Sub Total	0.1	0.8	3,000	2.1	0.8	60,000	14.1	0.8	380,000	16.3	0.8	440,000
BMT1	Indicated												
	Inferred	0.3	1.0	10,000	0.1	1.0	3,000	7.1	1.3	288,000	7.5	1.2	300,000
	Sub Total	0.3	1.0	10,000	0.1	1.0	3,000	7.1	1.3	288,000	7.5	1.2	300,000
BMT3	Indicated												
	Inferred	0.2	1.1	10,000	0.3	1.1	10,000	3.8	1.1	130,000	4.2	1.1	150,000
	Sub Total	0.2	1.1	10,000	0.3	1.1	10,000	3.8	1.1	130,000	4.2	1.1	150,000
All	Indicated	0.8	1.2	30,000	0.7	1.3	30,000	2.4	1.0	80,000	3.9	1.0	130,000
	Inferred	2.0	1.0	60,000	4.1	0.9	120,000	40.8	1.0	1,270,000	47.0	1.0	1,450,000
	Total	2.8	1.0	90,000	4.8	1.0	150,000	43.3	1.0	1,350,000	50.9	1.0	1,590,000

Napié Mineral Resource Estimate; On 14 June 2022, a maiden Mineral Resource Estimate was reported in accordance with JORC (2012) comprising two deposits, Tchaga and Gogbala.²⁰

Deposit	Category	Tonnes (Mt)	Grade (g/t Au)	Au (koz)
Tchaga	Inferred	14.6	1.16	545
Gogbala	Inferred	7.8	1.29	323
Global Resource	Total	22.5	1.20	868

Resources reported at a cut-off grade of 0.6g/t gold. Differences may occur in totals due to rounding.

¹⁹ "Aurum delivers 1.6Moz Maiden JORC Resource at Boundiali Gold Project" released to the Australian Securities Exchange on 30 December 2024 and amended on 31 December 2024 and available to view on www.asx.com.au.

²⁰ "Napié Project Listing Rule 5.6 Disclosure (Amended)" released to the Australian Securities Exchange on 4 February 2025 and available to view on www.asx.com.au.

Boundiali Gold Project (1.6Moz)

The flagship 1.6Moz Boundiali Gold Project is comprised of four neighbouring exploration tenements and is located within the same greenstone belt as Resolute's large Syama (11.5Moz) gold mine and Perseus' Sissingué (1.4 Moz) gold mine to the north and Montage Gold's 4.5Moz Koné project located to the south. Barrick's Tongon mine (5.0Moz) is located to the northeast (Figure 1 and Figure 2):

- 1) Boundiali Minex Tenement PR0893 ("BM"), 400km², holder Minex West Africa, of which Aurum holds 80% (through its fully owned subsidiary Plusor Global Pty Ltd "Plusor") and can hold interest of between 80-88% in a mining licence.
- 2) Boundiali DS tenement PR808 ("BD"), 260km², holder DS Resources Joint Venture Company, of which Aurum is 80% share capital owner through its fully owned subsidiary Plusor.
- 3) Boundiali South tenement ("BST") 100%, 167.34km² is located directly south of Aurum's **BD** and **BM** tenement. Application for mining exploitation licence was lodged with the Ministry of Mines, Petroleum and Energy in March 2025.
- 4) Boundiali North tenement PR283 ("BN"), 208.87km², under renewal, Aurum to earn up to 70% interest through its wholly owned subsidiary Plusor.

BM gold project JV 80% interest

- Can earn 80-88% interest in future gold production company (Government gets 10% free carry from local partner):
 - 80% if local partner contributes 11% capex
 - 85% if local partner does not contribute capex – they go to 5% free carry
 - 88% if local partner sells us 3% of their interest they go to 2% free carry

BD gold project JV 80% interest

- Can earn 80-88% interest in future gold production company (Government gets 10% free carry from local partner):
 - 80% if local partner contributes 11% capex
 - 85% if local partner does not contribute capex – they go to 5% free carry
 - 88% if local partner sells us 3% of their interest they go to 2% free carry

BST gold project 100% interest

- *Application for mining exploitation licence was lodged with the Ministry of Mines, Petroleum and Energy in March 2025.*
- 90% interest in future gold production company (Government get 10% free carry from Aurum interest)

BN gold project JV

Aurum is earning interest through carrying out exploration to earn 70% interest in three stages:

- Stage 1: Aurum earns 35% interest by spending USD 1.2 million within 36 months of license grant
- Stage 2: Aurum earns 51% interest by spending USD 2.5 million within 60 months of license grant



- Stage 3: Aurum earns 70% interest upon completion of a pre-feasibility study on the tenement.
- Diamond drilling conducted by Aurum will be valued at US\$140 per meter for expenditure calculations
- Upon grant of a mining exploitation license, the ownership structure will be: Aurum (70%), GNRR (20%), Ivorian Government (10%)

Encore JV Project

- Applications (No. 1740 and No. 1745) totalling nearly 320km² are strategically located between Aurum's existing BD and BST tenements and south of BM, offering growth potential for its 1.6Moz Boundiali Gold Project.
- Staged earn-in agreement aligns expenditure with milestones for each permit area:
 - Path to 51% interest: 4,000m diamond drilling.
 - Path to 80% interest: Additional 8,000m diamond drilling (total 12,000m) OR US\$2.5 million nominal expenditure.

Mako Gold

Wholly owned subsidiary of Aurum and holds the following projects:

- 0.87Moz Napié Gold Project. 90% Mako and African American Investment Fund (AAIF) has a 10% interest in the Napié Project free carried to completion of a feasibility study.
- Korhogo Project (100%), significant manganese discovery
- Brobo Project (100%), prospective for lithium/rare earths

Section 1 of the JORC Code, 2012 Edition – Table 1

Sampling Techniques and Data

Criteria	JORC Code explanation	Commentary
<i>Sampling techniques</i>	- Nature and quality of sampling (e.g. cut channels, random chips, or specific specialised industry standard measurement tools appropriate to the minerals under investigation, such as down hole gamma sondes, or handheld XRF instruments, etc). These examples should not be taken as limiting the broad meaning of sampling. - Include reference to measures taken to ensure sample representivity and the appropriate calibration of any measurement tools or systems used. - Aspects of the determination of mineralisation that are Material to the Public Report. In cases where 'industry standard' work has been done this would be relatively simple (eg 'reverse circulation drilling was used to obtain 1 m samples from which 3 kg was pulverised to produce a 30 g charge for fire assay'). In other cases more explanation may be required, such as where there is coarse gold that has inherent sampling problems. Unusual commodities or mineralisation types (eg submarine nodules) may warrant disclosure of detailed information.	- Samples were collected using diamond drilling techniques generally angled at 50° towards north-northwest to optimally intersect the mineralised zones. - Diamond core was logged both for geological and mineralised structures as noted above. The core was then cut in half using a diamond brick cutting saw on 1m intervals. Typically the core was sampled to geological intervals as defined by the geologist within the even two metre sample intervals utilised. The right-hand side of the core was always submitted for analysis with the left side being stored in trays on site. - Sampling and QAQC procedures were carried out to industry standards. - Sample preparation and assay was completed by independent international accredited laboratory MSALABS. Following cutting or splitting, the samples were bagged by the Client employees and then sent to the laboratory for preparation. These samples were subsequently sent to MSALABS at Yamoussoukro for analysis via 500g Photon Assay.
• Drilling techniques	Drill type (eg core, reverse circulation, open-hole hammer, rotary air blast, auger, Bangka, sonic, etc) and details (eg core diameter, triple or standard tube, depth of diamond tails, face-sampling bit or other type, whether core is oriented and if so, by what method, etc).	Diamond drilling carried out with mostly NTW and some HQ sized equipment. PQ-size rods and casing were used at the top the holes to stabilise the collars although no samples were taken from the PQ size core.
• Drill sample recovery	- Method of recording and assessing core and chip sample recoveries and results assessed. - Measures taken to maximise sample recovery and ensure representative nature of the samples. - Whether a relationship exists between sample recovery and grade and whether sample bias may have occurred due to preferential loss/gain of fine/coarse material.	Diamond drilling core recoveries ranged between 85% and 100% for all holes with no significant issues noted.
• Logging	Whether core and chip samples have been geologically and geotechnically logged to a level of detail to support appropriate Mineral Resource estimation, mining	All holes were field logged by company geologists. Lithological, alteration and mineralogical nomenclature of the deposit as well as sulphide content were recorded.

Criteria	JORC Code explanation	Commentary
	<i>studies and metallurgical studies.</i> - Whether logging is qualitative or quantitative in nature. Core (or costean, channel, etc) photography. - The total length and percentage of the relevant intersections logged.	<i>Metallurgical, Geotechnical and structural data has been recorded</i> - Photography and recovery measurements were carried out by assistants under a geologist's supervision. - All drill holes were logged in full. - Logging was qualitative and quantitative in nature.
Sub-sampling techniques and sample preparation	- If core, whether cut or sawn and whether quarter, half or all core taken. - If non-core, whether riffled, tube sampled, rotary split, etc and whether sampled wet or dry. - For all sample types, the nature, quality and appropriateness of the sample preparation technique. - Quality control procedures adopted for all sub-sampling stages to maximise representivity of samples. - Measures taken to ensure that the sampling is representative of the in-situ material collected, including for instance results for field duplicate/second-half sampling. - Whether sample sizes are appropriate to the grain size of the material being sampled.	- NTW core cut in half using a core saw. Typically, the core was sampled to major geological intervals as defined by the geologist within the even two metre sample intervals utilised. All samples were collected from the same side of the core. - Sample sizes are considered appropriate to correctly represent the moderately nuggetty gold mineralisation based on: the style of mineralisation, the thickness and consistency of the intersections, the sampling methodology and assay value ranges for Au. - The entire sample was crushed to 70% passing 2mm. - Crushed sample was split to produce 500g sample for analysis and the remaining reject kept for checks. - Field QC procedures involved the use of 2 types of certified reference materials (1 in 20) which is certified by Geostats Ltd, - Primary DD duplicate: Generated by cutting the remaining half core into a ¼ and sampled. - Coarse blank samples: Inserted 1 in every 20 samples - Laboratory Internal Duplicates and Standards - Sample sizes are considered appropriate to correctly represent the moderately nuggetty gold mineralisation based on: the style of mineralisation, the thickness and consistency of the intersections, the sampling methodology and assay value ranges for gold
Quality of assay data and laboratory tests	- The nature, quality and appropriateness of the assaying and laboratory procedures used and whether the technique is considered partial or total. - For geophysical tools, spectrometers, handheld XRF instruments, etc, the parameters used in determining the analysis including instrument make and	The analytical technique used is Chrysos™ PhotonAssay methodology. This uses a high-energy X-ray source that is used to irradiate large mineral samples, typically about 500g compared to the 50g of the fire assay. The X-rays induce short-lived changes in the structure of any gold nuclei present. As the excited gold nuclei return to

Criteria	JORC Code explanation	Commentary
	model, reading times, calibrations factors applied and their derivation, etc. Nature of quality control procedures adopted (eg standards, blanks, duplicates, external laboratory checks) and whether acceptable levels of accuracy (i.e. lack of bias) and precision have been established.	their ground state, they emit a characteristic gamma-ray signature, the intensity of which is directly proportional to the concentration of gold. The penetrating nature of Chrysos™ PhotonAssay provides much higher energy than those used in conventional X-ray fluorescence (XRF), which provides a true bulk analysis of the entire sample. Samples are presented into a fully automatic process where samples are irradiated, measured, data collection and reporting. - No geophysical tools were used to determine any element concentrations used for this report. - Sample preparation checks for fineness were carried out by the laboratory as part of internal procedures to ensure the grind size was being attained. Laboratory QAQC includes the use of internal standards using certified reference material, and pulp replicates. No anomalous assays were noted in information provided to the Client. - The QAQC results confirm that acceptable levels of accuracy and precision have been established for the Classifications applied (exploration results only).
Verification of sampling and assaying	- The verification of significant intersections by either independent or alternative company personnel. - The use of twinned holes. - Documentation of primary data, data entry procedures, data verification, data storage (physical and electronic) protocols. - Discuss any adjustment to assay data.	- NA - No holes have been twinned - No adjustment to assay data - Logging records were mostly registered in physical format and were input into a digital format. The core photographs, collar coordinates and down the hole surveys were received in digital format. - Assay values that were below detection limit were adjusted to equal half of the detection limit value. Un-sampled intervals were assumed to have no mineralisation and they were therefore set to blank in the database, however these are minimal.
Location of data points	- Accuracy and quality of surveys used to locate drill holes (collar and down-hole surveys), trenches, mine workings and other locations used in Mineral Resource estimation. - Specification of the grid system used. - Quality and adequacy of topographic control.	- DD collar positions were initially located using a handheld GPS with a location error of +/-3m. - The datum employed is WGS84, Zone 29 - All drill hole locations are then surveyed utilising the differential GPS methods by both company and third party surveyors. - DGPS system utilised is typically within a 10 cm accuracy range which is suitable for the classification applied.

Criteria	JORC Code explanation	Commentary
Data spacing and distribution	- Data spacing for reporting of Exploration Results. - Whether the data spacing and distribution is sufficient to establish the degree of geological and grade continuity appropriate for the Mineral Resource and Ore Reserve estimation procedure(s) and classifications applied. - Whether sample compositing has been applied.	- Drillholes were completed on variable line spacings (from 100m to 50m) and orientations. - The drill hole spacing and distribution is considered sufficient to establish the degree of continuity appropriate for the Inferred Mineral Resource estimation procedures. - The samples were not composited prior to assay.
Orientation of data in relation to geological structure	- Whether the orientation of sampling achieves unbiased sampling of possible structures and the extent to which this is known, considering the deposit type. - If the relationship between the drilling orientation and the orientation of key mineralised structures is considered to have introduced a sampling bias, this should be assessed and reported if material.	Drill holes were drilled approximately at right angles to the anticipated strike of the target geochemical anomaly and orthogonal to the interpreted mineralisation orientation.
Sample security	The measures taken to ensure sample security.	Chain of custody is managed by the Client's senior site geologists and geotechnicians. Samples are stored in a core shed at site and samples were delivered to the laboratory by client geologists. Client employees have no further involvement in the preparation or analysis of the samples.
Audits or reviews	The results of any audits or reviews of sampling techniques and data.	Detailed reviews of sampling techniques were carried out on the site visit by RPM in October 2024 and follow up visit in March 2025.

•

• Section 2 of the JORC Code, 2012 Edition – Table 1

• Criteria	• JORC Code explanation	• Commentary
• Mineral tenement and land tenure status	• Type, reference name/number, location and ownership including agreements or material issues with third parties such as joint ventures, partnerships, overriding royalties, native title interests, historical sites, wilderness or national park and environmental settings. • The security of the tenure held at the time of reporting along with any known impediments to obtaining a license to operate in the area.	• Exploration results are from the Boundiali project area • PR893 (BM), 400km², holder Minex West Africa, of which Aurum has earned 80% interest and can earn up to 88% in a mining licence through its fully owned subsidiary Plusor Global Pty Ltd ("Plusor"). Boundiali DS tenement PR808 ("BD"), 260km², holder DS Resources Joint Venture Company, of which Aurum is 80% share capital owner through its fully owned subsidiary Plusor. BST mining licence application of which Aurum is 100% owner. • There are no impediments to working in the area.
• Exploration done by other parties	• Acknowledgment and appraisal of exploration by other parties.	• The exploration results reported in this announcement are from work undertaken by PlusOr a wholly owned subsidiary of Aurum Resources Limited • The license area is known as a prospective region for gold and recent artisanal workings revealed the presence of primary gold mineralisation in artisanal pits and small-scale underground mining.
• Geology	• Deposit type, geological setting and style of mineralisation.	• The Boundiali Deposits are located within the Proterozoic Birimian rocks of the Man shield. It is situated on, 100km west of from the Korhogo in the northern part of the Côte d'Ivoire. They are located in the Bagoué- Syama shear zone within the sedimentary rock with minor associated intrusions of mafic dykes and late-stage granitoids. The various rock units trend NS to NNE similar to the regional metamorphic grade. The regional trend is NE to N. • The Boundiali deposits resemble typical shear zone deposits of the West African granite-greenstone terrane. The deposits themselves are associated with a major regional shear zone and are developed in a sandstone. Mineralisation may be spatially related to the emplacement of intrusives. The gold mineralisation is mesothermal in origin and occurs as free gold in quartz vein stockworks and zones of silicification, associated with pyrite and chalcopyrite. The gold mineralisation is found in linear zones with the contacts

• Criteria	• JORC Code explanation	• Commentary
		showing evidence of shearing. Free gold is frequently observed. Alteration is weak to strong depending on the development of the system typically being sericite. Two types of deformation are present in the drill cores: ductile deformation and brittle deformation. The gold mineralisation is related to deformed sandstone and graywacke, in shear zones, with sulphides (mainly pyrite and minor chalcopyrite) associated with visible gold. Alteration is characterized by chlorite, sericite, calcite, secondary quartz and disseminated pyrite. This assemblage is well developed in schistose, foliated rocks with presence of quartz veins or veinlets.
Drill hole information	- A summary of all information material to the understanding of the exploration results including a tabulation of the following information for all Material drill holes: - easting and northing of the drill hole collar - elevation or RL (Reduced Level – elevation above sea level in metres) of the drill hole collar - dip and azimuth of the hole - down hole length and interception depth - hole length - If the exclusion of this information is justified on the basis that the information is not Material and this exclusion does not detract from the understanding of the report, the Competent Person should clearly explain why this is the case.	- Complete drill hole data has been provided. - Drill hole collar locations are shown in figures in main body of announcement.
Data aggregation methods	- In reporting Exploration Results, weighting averaging techniques, maximum and/or minimum grade truncations (e.g. cutting of high grades) and cut-off grades are usually Material and should be stated. - Where aggregate intercepts incorporate short lengths of high-grade results and longer lengths of low-grade results, the procedure used for such aggregation should be stated and some typical examples of such aggregations should be shown in detail. - The assumptions used for any reporting of metal equivalent values should be clearly stated.	- Assay Intervals are shown in detail. Drilling intervals are predominantly 1m. - Metal equivalent values are not being reported.
Relationship between	These relationships are particularly important in the reporting of Exploration	True widths have not been estimated as the geological controls on mineralisation

• Criteria	• JORC Code explanation	• Commentary
mineralisation widths and intercept lengths	Results. - If the geometry of the mineralisation with respect to the drill hole angle is known, its nature should be reported. - If it is not known and only the down hole lengths are reported, there should be a clear statement to this effect (e.g. 'down hole length, true width not known').	in these initial drill holes into the prospect are not yet well understood. The holes were drilled from east to west to test a steeply east dipping foliation in the limited rock exposures seen in the area. The mineralisation lies within what has been interpreted to be a ductile shear zone which would suggest that mineralisation should lie parallel to foliation.
Diagrams	Appropriate maps and sections (with scales) and tabulations of intercepts should be included for any significant discovery being reported. These should include but not be limited to a plan view of drill hole collar locations and appropriate sectional views.	Appropriate diagrams relevant to material results are shown in the body of this announcement.
Balanced Reporting	- Accuracy and quality of surveys used to locate drill holes (collar and down-hole surveys), trenches, mine workings and other locations used in Mineral Resource estimation. - Where comprehensive reporting of all Exploration Results is not practicable, representative reporting of both low and high grades and/or widths should be practiced to avoid misleading reporting of Exploration Results.	- All drill hole and trench collar locations were surveyed utilising handheld GPS methods. Exploration results only being reported. - Drilling teams utilised the Reflex EZ-shot instrument to measure deviations in azimuth and inclination angles for all holes; however, vertical holes were not surveyed. The first measurement is taken at 6 m depth, and then at approximately every 30m depth interval and at the end of the hole. being reported
Other substantive exploration data	Other exploration data, if meaningful and material, should be reported including (but not limited to): geological observations; geophysical survey results; geochemical survey results; bulk samples - size and method of treatment; metallurgical test results; bulk density, groundwater, geotechnical and rock characteristics; potential deleterious or contaminating substances.	All relevant exploration data is either reported in this announcement or has been reported previously by Aurum, Randgold or Predictive Discovery and is referred to in the announcement.
Further work	- The nature and scale of planned further work (e.g. tests for lateral extensions or depth extensions or large- scale step-out drilling). - Diagrams clearly highlighting the areas of possible extensions, including the main geological interpretations and future drilling areas, provided this information is not commercially sensitive.	- The Company intends to continue exploration on the project and this work will include auger, aircore, RC and diamond core drilling, along with further geophysical surveys and geochemical sampling programs. - Diagrams included in body of report as deemed appropriate by competent person